

Wanganui Plant List 8

Department of Conservation, Wanganui Vascular plants for Gordon Park Reserve

C C Ogle

Reserve is 14.5 ha, about 10 ha of forest and 4 ha in pasture and other exotic plants and young native plantings.

This forest remnant is of an extremely rare type and contains many species which are uncommon in the Wanganui district today. Most of the notable species are characteristic of periodically wet, high fertility soils of river flood plains. Most such forests have been cleared in this district.

Typical indicator plants of such sites are matai, titoki, *Coprosma propinqua*, *C. rigida*, *C. rotundifolia*, narrow-leaved lacebark, rohutu, *Melicope simplex*, black maire, *Melicytus micranthus*, kaikomako, lemonwood, ribbonwood, *Pseudopanax anomalus*, swamp maire, *Clematis foetida*, climbing fuchsia, *Metrosideros colensoi*, NZ passionflower, *Rubus schmidelioides*, forest starwort, *Gratiola nana*, *Parietaria debilis*, *Mazus novaezeelandiae*, *Carex lambertiana*, *Adiantum diaphanum*, Cardamine 'Long Style' and *C. corymbosa*. agg.

List compiled by Wanganui Museum Botanical Group on visits 6.10.68, 9.7.70 (either or both the 1st two dates with N Simpson, AP Druce, J Liddell, A King & others), 24.11.92; 1.5.04; 30.11.04 and numerous visits by C C Ogle¹ from January 1990. Numerous additions from inaugural workday of Friends of Gordon Park on 4 Nov. 06 and later in 2006 and through 2007-2010

Converted to Table format 12 Oct 2004; last additions and revisions 12 Oct 2010

Abundance Ratings

a = abundant

c = common

o = occasional

u = uncommon (or actual no. of specimens stated)

l = local (species in small area, but can be common or abundant there)

j = juvenile plants

p = planted specimens (+p indicates both natural and planted specimens present)

Where a species has not been seen since 1990, an abundance rating is not given.

1 SPECIES INDIGENOUS TO NEW ZEALAND

Latin name	Common name	Abundance
Gymnosperm Trees (Podocarps)		
<i>Dacrycarpus dacrydioides</i>	kahikatea	c
<i>Podocarpus totara</i> ²	totara	u
<i>Prumnopitys taxifolia</i>	matai	o

¹ 22 Forres Street, Wanganui

² Possibly planted rather than natural to this site.

Latin name	Common name	Abundance
Monocot Trees		
<i>Cordyline australis</i>	cabbage tree	o (+p)
<i>Rhopalostylis sapida</i>	nikau	u (j o)
Dicot Trees and Shrubs		
<i>Alectryon excelsus</i>	titoki	a
<i>Beilschmiedia tawa</i>	tawa	a
<i>Brachyglottis repanda</i>	rangiora	o
<i>Carmichaelia arborea</i> var.	NZ broom	u
<i>Carpodetus serratus</i>	putaputaweta	u
<i>Coprosma areolata</i>		c
<i>Coprosma propinqua</i>		u
<i>Coprosma rigida</i>		l
<i>Coprosma robusta</i>	karamu	u (4.1.06)
<i>Coprosma rotundifolia</i>		o
<i>Coprosma propinqua</i> x <i>C. robusta</i>		u
<i>Corynocarpus laevigatus</i> ³	karaka	c (mostly juv.)
<i>Elaeocarpus hookerianus</i> ⁴	pokaka	u
<i>Geniostoma ligustrifolium</i>	hangehange	o
<i>Hoheria angustifolia</i>	narrow-leaved lacebark	o
<i>Hoheria populnea</i> var. <i>populnea</i> ⁵	lacebark, houhere	o?
<i>Hoheria sexstylosa</i>	lacebark, houhere	o
<i>Knightia excelsa</i> ⁶	rewarewa	
<i>Kunzea ericoides</i>	kanuka	lj
<i>Laurelia novae-zelandiae</i>	pukatea	o
<i>Lophomyrtus bullata</i>	ramarama	u
<i>Lophomyrtus obcordata</i>	rohutu	u
<i>Macropiper excelsum</i>	kawakawa	o
<i>Melicope simplex</i>	poataniwha	o
<i>Melicytus micranthus</i>	small-leaved mahoe	c
<i>Melicytus ramiflorus</i>	mahoe	a
<i>Melicytus micranthus</i> X <i>M. ramiflorus</i>		o
<i>Myrsine australis</i>	mapou	u
<i>Nestegis cunninghamii</i>	black maire	u
<i>Nestegis lanceolata</i>	white maire	u (juv. only)
<i>Pennantia corymbosa</i>	kaikomako	o
<i>Pittosporum crassifolium</i> ⁷	karo	1 seedling 12/06
<i>Pittosporum eugenioides</i>	lemonwood, tarata	l (west edge)

³ Being eradicated from mid-2006, as not indigenous to this district

⁴ Adult, + 1 sapling recently broken off (1990)

⁵ This species has broader leaves than the following, and is a garden escape or from past plantings; *H. sexstylosa* is indigenous to Wanganui; the 2 may be hybridisin at GPSR

⁶ recorded by Botanical Group in 1970, in forest transect; placed in "Class 20-30 cm dbh."

⁷ 1 seedling found 12/06, removed and vouchered to CHR; not indigenous to southern North Island, presumably brought here from a garden by a bird. A 2 m plant found Feb 07 & removed

Latin name	Common name	Abundance
<i>Pittosporum tenuifolium</i>	kohuhu	o
<i>Plagianthus regius</i> ⁸	ribbonwood, manatu	u
<i>Pseudopanax arboreus</i>	five-finger	u
<i>Pseudopanax crassifolius</i>	lancewood, horoeka	u
<i>Pseudopanax lessonii</i> ⁹	houpara, coastal five-finger	o
<i>Raukaua (Pseudopanax) anomalus</i>		o
<i>Schefflera digitata</i>	pate	u
<i>Solanum aviculare</i>	poroporo ¹⁰	u (1 st record 12/09)
<i>Solanum laciniatum</i>	poroporo	u (1 st record 1/10)
<i>Sophora godleyi</i> ¹¹	kowhai	o
<i>Sophora microphylla</i>	kowhai	(possibly p, but regenerating)
<i>Streblus heterophyllus</i>	small-leaved milktree, turepo	c
<i>Syzygium maire</i> ¹²	swamp maire, maire tawake	u
<i>Urtica ferox</i> ¹³	shrub nettle, ongaonga	
<i>Vitex lucens</i> ¹⁴	puriri	u
Dicot Lianes		
<i>Calystegia tuguriorum</i>		u
<i>Clematis foetida</i>	scented clematis	u
<i>Clematis forsteri</i>	green clematis	u (1 juv. vine 26.9.09 [CCO]; 12.1.10 [F McGowan])
<i>Clematis paniculata?</i>	puawhananga	
<i>Fuchsia perscandens</i>	climbing fuchsia	u

⁸ 1 male tree 24.11.92; 1 female tree 28.2.95; 2 seedlings recorded in 1968 or 1970; 1 seedling c. 1998; 5 or more seedlings close to circuit track 2 March 2005 (CCO & G Jane); many dozens of juveniles up to 1.5 m tall seen on 3.11.06 (loc. as for 2.3.05); 1 flowering adult found close by the seedlings 10.12.06, but it died in about Jan. 2008.

⁹ Found by C Devine 4.11.06, removed and vouchered to CHR; not indigenous to southern North Island, presumably brought here from garden by birds; another 10 or more, from 6.2.07 onwards, some to > 3 m tall; some appear to hybrids with *P. crassifolius*.

¹⁰ Both poroporo species may have been here for many years but were simply not recorded until the summer of 09-10, perhaps because they weren't both seen in flower before then.

¹¹ It has not been possible to collect foliage from each of the adult trees for identification of the species, but juveniles that we find are both divaricating and non-divaricating; the typical naturally occurring kowhai (*Sophora godleyi*) of Wanganui district does not have a divaricating juvenile stage but *S. microphylla* does. The latter may not be native to the Wanganui district.

¹² Record in 1970 list by Wanganui Botanical Group but rediscovered 22.7.07 (CCO) as a 1.2 m juvenile – possible adult tree(s) nearby but yet to be found. On 26.9.09 a 5-6 m tree (8 cm dbh) found close by the sapling – except the sapling was missing, poss. crushed by fallen dead tawa.

¹³ Not seen since before 1988 until a 1-m shrub & 3 seedlings found by G Wilson 20.3.07, c. 50 m from *Gratiola*; 2nd patch found C Devine Aug 07; 3rd plant found Dec/09 (CCO)

¹⁴ Seedling in forest 1 May 2004; removed and vouchered as CHR 570515; probably brought by bird. Maybe 30 or more found 2005-09 and removed (some for planting elsewhere in Wanganui.)

Latin name	Common name	Abundance
<i>Metrosideros colensoi</i>	climbing rata	u
<i>Metrosideros diffusa</i>	climbing rata	u
<i>Metrosideros perforata</i>	climbing rata	
<i>Muehlenbeckia australis</i>	pohuehue	c
<i>Muehlenbeckia complexa</i>	small-leaved pohuehue	u
<i>Muehlenbeckia australis</i> x <i>M. complexa</i>	hybrid pohuehue	u
<i>Parsonsia heterophylla</i>	NZ jasmine	o (j common)
<i>Passiflora tetrandra</i>	NZ passionflower, kohia	o (j common)
<i>Rubus australis</i>	lawyer	u
<i>Rubus schmidelioides</i>	lawyer	o
<i>Rubus australis</i> x <i>R. schmidelioides</i>	lawyer	u
Monocot Lianes		
<i>Freycinetia banksii</i>	kieke	
<i>Ripogonum scandens</i>	supplejack	o
Dicot Herbs		
<i>Acaena anserinifolia</i>	bidibid, piripiri	u
<i>Callitriche muelleri</i>	forest starwort	l (o?)
<i>Cardamine</i> sp. (<i>C. debilis</i> agg; <i>C. "Long Style"</i> of Pritchard (1957))	bittercress	o
<i>Cardamine</i> sp. (<i>C. debilis</i> agg; <i>C. "Narrow Petal"</i> of Pritchard (1957))	bittercress	u
<i>Cardamine</i> sp. (<i>C. corymbosa</i> agg.)		lc
<i>Epilobium</i> sp. (unidentified)	willowherb	u (1 patch, Nov.08)
<i>Geranium homeanum</i>		1 plant, a stoloniferous patch
<i>Gratiola concinna</i> (<i>G. nana</i> of NZ authors) ¹⁵		l
<i>Hydrocotyle heteromeria</i>	waxweed	lc
<i>Mazus novaezeelandiae</i> ssp. <i>novaezeelandiae</i> ¹⁶	dwarf musk	u
<i>Oxalis exilis</i> (?)		
<i>Parietaria debilis</i>	native pellitory	o
<i>Senecio hispidulus</i>	fireweed	l
<i>Senecio minimus</i>	fireweed	u (1 on 4.11.06)
<i>Senecio bipinnatisectus</i> X <i>S. minimus</i> ¹⁷	hybrid fireweed	u (1 by loop track Sep 09)
<i>Stellaria parviflora</i>	NZ chickweed	u

¹⁵ Found 10 Dec 06 but not identified until 6 Feb 07 (CCO); not the same species as Australian *G. nana*

¹⁶ 1 patch found inside loop track, north end; 9 Dec 08 by G La Cock; 6 more patches found within 50 m in Jan 2009.

¹⁷ Non-flowering material collected for AK Sep 09; pot-grown from cuttings by CCO until it flowered in Feb. 2010 – sent to P de Lange who confirmed its identity. This suggested hybrid has not been recorded in NZ before – between a NZ and an Australian species.

Latin name	Common name	Abundance
<i>Urtica incisa</i>	stinging nettle	l
Orchids		
<i>Corybas trilobus</i> agg. (<i>Nematoceras triloba</i>)	spider orchid	o
<i>Drymoanthus adversus</i>		u? ¹⁸
<i>Earina autumnalis</i>	Easter orchid	u ¹⁹
<i>Earina mucronata</i>		o
<i>Microtis unifolia</i>	onion-leaved orchid	l, with <i>Pterostylis</i> (q.v.)
<i>Pterostylis banksii</i>	greenhood orchid	u ²⁰
Grass		
<i>Cortaderia fulvida</i>	dryland toetoe	u
<i>Microlaena avenacea</i>	bush rice grass	l
Sedges		
<i>Carex dipsacea</i>		l, on 10.12.06
<i>Carex dissita</i> ²¹ ?		u?
<i>Carex geminata</i> agg.		la
<i>Carex inversa</i>		u (4.11.06)
<i>Carex lambertiana</i>		c
<i>Carex lessoniana</i>		la?
<i>Carex ochrosaccus</i> ²²		l?
<i>Carex secta</i> s.s.		u ²³
<i>Carex solandri</i>		o
<i>Carex virgata</i>		o
<i>Cyperus ustulatus</i>		l
<i>Eleocharis acuta</i>	sharp spike-sedge	u
<i>Gahnia xanthocarpa</i>		u ²⁴
<i>Isolepis reticularis</i>		l
<i>Schoenus maschalinus</i>		u ²⁵
<i>Uncinia clavata</i> ?	hookgrass	u
<i>Uncinia distans</i>	hookgrass	o
<i>Uncinia uncinata</i>	hookgrass	c

¹⁸ Several on fallen tawa, 23.2.00; 1 on fallen dead tawa 26.9.09 (Robyn Ogle)

¹⁹ 1 on windfall matai 4/04

²⁰ patch of c. 15-20 plants by track near northern car-park, in seed & flower 16 Nov. 08

²¹ Needs confirming – maybe all *C. ochrosaccus*?

²² Collected as *C. dissita* but re-identified by K Ford (Landcare Research, Lincoln) in Jan 07; two ‘forms’, one with terminal spikes purely male and other with fruits at tip of male spikes

²³ Listed in 1988 but not seen again until found in fruit, 12.2.08, on edge of channel just inside western edge (vouchered to CHR). Seed collected Feb 08, grown and 110 planted in GPSR in Dec 08 and Jan 09, mostly near the Loop Track (c. 20 stolen early 2009).

²⁴ New record 14.9.10; 1 robust tussock in forest, between loop track and Kaimatira Rd.

²⁵ 2 patches by track near northern car-park; Nov. 08

Wanganui Plant List 8: Gordon Park Scenic Reserve

Latin name	Common name	Abundance
Rushes		
<i>Juncus</i> sp. (prob. <i>J. pauciflorus</i>)		u (1 st recognised in Dec 09, but collected as <i>J. pallidus</i> in 2008)
Other Monocot Herbs		
<i>Astelia solandri</i>	perching lily	u
<i>Collospermum hastatum</i>	perching lily	c
<i>Typha orientalis</i>	raupo	l
Fern Ally		
<i>Huperzia varia</i> (<i>Lycopodium varium</i>)	(club moss)	
Ferns		
<i>Adiantum cunninghamii</i>	maidenhair fern	
<i>Adiantum diaphanum</i>	maidenhair fern	lc
<i>Arthropteris tenella</i>		o
<i>Asplenium bulbiferum</i>	hen and chicken fern	
<i>Asplenium flaccidum</i> s.s.	hanging spleenwort	o
<i>Asplenium gracillimum</i>		c
<i>Asplenium polyodon</i>	sickle spleenwort	c
<i>Asplenium bulbiferum</i> (?) x <i>A. colensoi</i>		o
<i>Azolla filiculoides</i> ssp. <i>rubra</i> ²⁶		u
<i>Blechnum filiforme</i>	climbing blechnum	l
<i>Blechnum membranaceum</i>		o
<i>Cyathea cunninghamii</i>	gully tree fern	u
<i>Cyathea dealbata</i>	ponga, silver fern	u (1 trunkless, on 4.11.06; 1 with 20 cm trunk Jan 07)
<i>Cyathea medullaris</i>	mamaku	lc
<i>Dicksonia fibrosa</i>	whkiponga	u (1, trunkless, 1 st found 28.8.2010 ²⁷)
<i>Dicksonia squarrosa</i>	wheki	u (c.5, trunkless ²⁸)
<i>Histiopteris incisa</i>		u
<i>Hymenophyllum dilatatum</i>		u (1 patch on log, 12 Oct 10)
<i>Hymenophyllum revolutum</i>	filmy fern	l (4.11.06)
<i>Hypolepis ambigua</i>		l
<i>Lastreopsis glabella</i>		l
<i>Leptopteris hymenophylloides</i>		u
<i>Loxogramme dictyopteris</i> (<i>Anarthropteris lanceolata</i>)	lance fern	u(1 patch on dead standing tawa, 12 Oct 10)
<i>Microsorium pustulatum</i>	hounds tongue fern	u

²⁶ In water in wheel tracks in north-east corner of reserve, 24.11.92; in pool beside loop track 4.11.06

²⁷ Inside forest near water channel, towards No.3 Line /Kaimatira Road corner; beside a wheki

²⁸ On 12.2.08, > 12 found just inside western edge, some with trunks to 1 m tall

Latin name	Common name	Abundance
<i>Microsorium scandens</i>		o
<i>Pellaea rotundifolia</i>	button fern	c
<i>Polystichum neozelandicum</i> ssp. <i>zerophyllum</i> ²⁹	hard shield fern	u
<i>Polystichum silvaticum</i>		u
<i>Pneumatopteris pennigera</i>		u
<i>Pteridium esculentum</i>	bracken	u
<i>Pteris</i> "macilentata" (<i>P. pendula</i>)		l
<i>Pteris tremula</i>	shaking brake	u
<i>Pyrosia eleagnifolia</i>	leatherleaf fern	c

B. NZ INDIGENOUS SPECIES PRESENT AS PLANTED SPECIMENS ONLY

Latin name	Common name	Abundance
<i>Prumnopitys ferruginea</i>	miro	[reported by Botanical Group, 1970s; not seen since]
<i>Griselinia littoralis</i>	broadleaf	[1 tree – still present Sep 2009]
<i>Melicope ternata</i>	wharangi	[1 reported by Wanganui Botanical Group, 1970s; not seen since]
<i>Nothofagus menziesii</i>	(silver beech)	[3 trees – 1 died 2004]

C. ADVENTIVE SPECIES (not a complete list; species noted as common and/or potential threats to indigenous vegetation)

Latin name	Common name	Abundance
Trees and shrubs		
<i>Buddleja davidii</i>	purple buddleia	1 (1.5.m shrub in fruit; removed from centre of forest 11 Aug 09)
<i>Cupressus macrocarpa</i>	macrocarpa	1 (planted only, mostly removed c. 2000); 3-4 seedlings Dec.06
<i>Crataegus monogyna</i>	hawthorn	occ. seedlings
<i>Elaeagnus X reflexa</i>	elaeanus	1 in Jan 07, 1 in July 07, 1 large shrub cut & poisoned Aug. 09
<i>Eriobotrya japonica</i>	loquat	5 eradicated 28.2.95; 2 in 2004
<i>Euonymus japonicus</i>	spindle tree	A 4 m tree in full fruit, Feb 2010 – cut and poisoned.
<i>Juglans regia</i>	walnut	2 on western edge (12.2.08)
<i>Laurus nobilis</i>	bay laurel	5 (on 4.11.06, 23.1.07, 13.11.07, 14.10.08, 26.9.09 – removed)
<i>Ligustrum sinense</i>	Chinese privet	Occ. seedlings, removed 2004, and from 11/06 onwards
<i>Pinus radiata</i>		u (planted only, mostly removed c. 2000 except for western boundary, by

²⁹ Listed in early 1970s as *P. richardii*; 1 infertile juv. found on fallen tree root plate 14.10.08; fertile collected for WELT Sep 09

Latin name	Common name	Abundance
		drain)
<i>Populus yunnanensis</i>	Yunnan poplar	planted grove, poisoned then felled 2002 but some remaining in 2007
<i>Prunus serrulata?</i>	flowering cherry	1, c. 50 cm tall, March 07
<i>Prunus</i> sp.	plum	1 shrub eradicated 1998; occ. seedlings & saplings removed since Nov. 2006
<i>Salix fragilis</i> (+ other spp.?)	willow	c (mostly removed from c. 1990 onwards)
<i>Sequoia sempervirens</i>	redwood	planted grove, felled 2002
<i>Solanum mauritianum</i>	woolly nightshade	few seedlings March 07
<i>Solanum pseudocapsicum</i>	Jerusalem cherry	a
<i>Syzygium paniculatum</i>	lillypilly	1 seedling 11 Aug 09
<i>Syzygium (Acmena) smithii</i>	monkey apple	maybe 6-10 seedlings 2007-09
<i>Trachycarpus fortunei</i>	Chinese windmill palm	Maybe 50 or more sdlgs eradicated Dec 2006 onwards
Lianes		
<i>Actinidia deliciosa</i>	kiwi fruit	u – 1 sdlg removed by loop track 22.5.10
<i>Calystegia sepium</i> agg.	convolvulus	c
<i>Clematis vitalba</i>	old man's beard	u ³⁰
<i>Hedera helix</i>	ivy	Occ. sdlgs removed, from Jan 07 onwards
<i>Humulus lupulus</i>	hop	among long grass on SW corner of forest
<i>Lonicera japonica</i>	Japanese honeysuckle	c, especially on margins and in open swamp
<i>Rubus fruticosus</i> agg.	blackberry	o
<i>Senecio mikanioides</i>	German ivy	u
<i>Vinca major</i>	periwinkle	lc
Lycopod		
<i>Selaginella kraussiana</i>	African clubmoss	la (being poisoned from about 2003 & experimentally from 2007)
Monocot herbs		
<i>Allium triquetrum</i>	3-cornered garlic ('wild onion')	l
<i>Amaryllis belladonna</i>	belladonna lily	1 on 20.3.07 (C Devine)
<i>Arum italicum</i>	Italian arum	o – hand weeded
<i>Bromus sterilis</i>	sterile brome	l
<i>Carex otrubae</i> ³¹		u

³⁰ 3 seedlings (eradicated), + 1 semi-mature (still present 24.11.02; 2 fruiting vines eradicated 4/04, but one left on Kaimatira Rd fence); 1 immature vine in grass by fence removed 4.11.06 and another on 10.12.06; several; young vines removed in forest interior 2007-09

³¹ 1st found by pools in pasture to north of the forest 30.11.04 (specimen to Auckland Museum)

Wanganui Plant List 8: Gordon Park Scenic Reserve

Latin name	Common name	Abundance
<i>Cortaderia selloana</i>	pampas grass	u
<i>Corcosmia X crocosmiiflora</i>	montbretia	l
<i>Cyperus eragrostis</i>		la, by Nov. 2006 – being hand-weeded & sprayed
<i>Dactylis glomerata</i>	cocksfoot	o
<i>Echinochloa crus-galli</i>	barnyard grass	1 by loop track Feb 07
<i>Ehrharta erecta</i>	veld grass	la
<i>Hemerocallis fulva</i> cv. 'Kwanso'	day lily	1 patch on 12/06 inside Kaimatira Rd boundary fence
<i>Holcus lanatus</i>	Yorkshire fog	lc
<i>Iris foetidissima</i>	stinking iris	c, by Nov. 2006 – being hand-weeded
<i>Leucojeum aestivum</i>	snowflake	l
<i>Lolium perenne</i>	perennial ryegrass	u (in forest gaps)
<i>Narcissus pseudonarcissus</i>	daffodil	u (CCO, Sep 07)
<i>Narcissus tazetta</i> cv. Soleil d'Or	jonquil	u (C Devine, June 07)
<i>Narcissus tazetta</i> cv. [cream fls] ³²	jonquil	l
<i>Pennisetum clandestinum</i>	kikuyu grass	l
<i>Schedonorus phoenix</i> (<i>Festuca arundinacea</i>)	tall fescue	l
<i>Scilla non-scripta</i>	bluebell	o, on Kaimatira Rd forest edge
<i>Tradescantia fluminensis</i>	wandering Jew	la
<i>Zantedeschia aethiopica</i> [white spathe]	arum lily	o (removed when found)
<i>Zantedeschia aethiopica</i> cv. Green Goddess		1 (found and removed 4.11.06); several more Dec 06, Jan 07, Aug 09
Dicot Herbs		
<i>Arctium minus</i>	burdock	o
<i>Carduus tenuiflorus</i>	slender winged thistle	l
<i>Cirsium arvense</i>	Californian thistle	u (in gaps)
<i>Cirsium vulgare</i>	scotch thistle	o
<i>Conium maculatum</i>	hemlock	l
<i>Conyza sumatrensis</i>	fleabane	la ³³
<i>Matricaria discoidea</i>	rayless chamomile	l
<i>Mentha pulegium</i>	pennyroyal	l
<i>Myosotis laxa</i>	water forget-me-not	lc
<i>Myosotis sylvatica</i>	garden forget-me-not	u (I Bell, 26.9.09 – white fls)
<i>Polygonum hydropiper</i>	water pepper	u
<i>Primula malaccoides</i>	garden primula	2 (removed by loop track 11 Aug 09)
<i>Ranunculus repens</i>	creeping buttercup	o

³² Flowers June-July, heads of 3-5 single cream flowers

³³ common or dense in areas of felled exotic trees (poplars etc.) in 4/04 (previously listed as *C. albida*)

Wanganui Plant List 8: Gordon Park Scenic Reserve

Latin name	Common name	Abundance
Ranunculus sceleratus	celery-leaved buttercup	u (1 by boardwalk, 26.9.09)
Senecio bipinnatisectus	fireweed	lc
Senecio glastifolius	pink ragwort	u (1 st seen 1998)
Solanum chenopodioides	velvety nightshade	lc (some up to 2 m tall)
Solanum nigrum	black nightshade	o (some up to 2 m tall)
Stachys sylvatica	hedge woundwort	lc
Symphytum Xuplandicum	Russian comfrey	u
Trifolium pratense	red clover	u
Trifolium repens	white clover	l