

**Vascular plants on the property of Celia Wade-Brown and Alastair Nicholson,
Mangatarere Valley, "Duntulm Farm".**

Central grid reference Topo50 map BP34 Carterton 088665

**Wellington Botanical Society on 17, 18 and 19/1/98.
Wellington Botanical Society 2/10/21**

Map: NZTopo50-BP34 Masterton.

Grid reference: Centred on 090665.

G.P.S. grid reference: Latitude: -40.9278 Longitude: 175.4818

Area: ca. 250 hectares.

Catchment: Kiddie Creek, a true left tributary of Mangatarere Stream which is a true left tributary of Waiohine River.

Elevation range: ca. 210 m to spot height 537 m above sea level.

Landform: steep-sided valley.

Geology: Lithology: K-O. Alternating argillite and sandstone; massive greywacke sandstone. Conglomerates with granitic, rhyolitic, and very indurated greywacke pebbles. Spilitic lava. Spores. *Buchia cf. hochstetteri* Flem. Wakarara Greywackes. Puaroan stage. Oteke or Kawhia Series. Upper Jurassic. Mesozoic. Source: *NZ Geological Survey Map 1:250,000 Sheet 12 Wellington*. NZ Geological Survey. 1975.

Soils: Pedology: 12. Renata-Rimutaka soils. Source: *Soils of Wellington District*. H. S. Gibbs. Soil Bureau D.S.I.R. 1960

Aspect: Kiddie Creek flows south-west then south to its forks with Mangatarere Stream

Rainfall: Contiguous Tararua Forest Park rainfall: up to ca. 5,000 mm per annum. Source: Google – Tararua Forest Park.

Ecological District: Tararua Ecological District 38.01. Source: *Ecological Regions and Districts of NZ*. Sheet 3. Department of Conservation. 1987.

Forest classification: Mature podocarp/beech/broad-leaved forest; regenerating native forest; rank pasture; exotic plantings: gymnosperms, broad-leaved tree species, annuals.

Tenure: C. Wade-Brown and A. Nicholson.

Legal status: Private land in two titles. Approximately 120ha of the regenerating forest is protected in perpetuity by a Permanent Forest Sink Initiative covenant. A QEII National Trust Open Space covenant has been applied for for most of the mature forest.

Management: Stock excluded from late 1980s. Previously logged, grazed and burnt. Intensive control of possums, rodents, mustelids, hedgehogs, etc., using bait stations and traps e.g., Goodnature A24, DOC200, AT220 traps from 2017 onwards. GWRC and OSPRI TB programme have significantly reduced rat and

possum numbers. Aerial 1080 is applied to the adjacent Tararua Forest Park from time to time. Pigs, deer, hares, magpies and feral cats are also targeted by permitted hunters and live capture traps. Woody weeds killed when found. Contractor sprayed Spanish Heath and gorse/broom along the tracks where native tree growth will not suppress these invasive weeds effectively in March 2022.

Territorial Local Authority: Carterton District Council

Regional Authority: Greater Wellington Regional Council

Central government: Department of Conservation – Whakaoriori/Masterton Area Office

Lists compiled:

1. 17-19.1.1998 by 15 members of Wellington Botanical Society;
2. Lists expanded on 2.10.2021 during a 5-hour reconnaissance by 17 members. of Wellington Botanical Society. Route: Up “Blue” track from shade-house to spot height 537 m, then down Curlers Track to Valley Track to pond and shed.

agg = aggregate

f = flowering at date listed

s = in seed at time listed

x == not naturally occurring in area

(unc) = only one or two plants or locations seen

? = id to be confirmed

Botanical Name	Māori Name	Common Name
----------------	------------	-------------

Gymnosperm Trees

<i>Dacrycarpus dacrydioides</i>	kahikatea	kahikatea
<i>Dacrydium cupressinum</i>	rimu	rimu
<i>Podocarpus totara</i> var. <i>totara</i>	tōtara	tōtara
<i>Prumnopitys ferruginea</i>	miro	miro
<i>Prumnopitys taxifolia</i>	mataī	mataī

Monocot Trees and shrubs

<i>Cordyline australis</i>	tī kōuka	cabbage tree
<i>Cordyline banksii</i>	tī ngahere	forest cabbage tree

Dicot Trees/Shrubs

<i>Alectryon excelsus</i> subsp. <i>excelsus</i>	tītoki	tītoki
<i>Alseuosmia pusilla</i>	toropapa	alseuosmia
<i>Aristotelia serrata</i>	makomako	wineberry
<i>Beilschmiedia tawa</i>	tawa	tawa
<i>Brachyglossis repanda</i> (f 2/10/21)	rangiora	rangiora

<i>Carmichaelia australis</i>		tainoka	broom
<i>Carpodetus serratus</i>		putaputawētā	marble leaf
<i>Coprosma areolata</i>			
<i>Coprosma autumnalis</i>		kānono	kānono
<i>Coprosma crassifolia</i> (f 2/10/21)			
<i>Coprosma linariifolia</i>			yellowwood
<i>Coprosma lucida</i>		karamū	karamū
<i>Coprosma microcarpa</i>			
<i>Coprosma propinqua</i> var. <i>propinqua</i>			
<i>Coprosma rhamnoides</i>			
<i>Coprosma robusta</i>		karamū	karamū
<i>Coprosma rotundifolia</i>			
<i>Coprosma rubra</i>			
<i>Coprosma propinqua</i> x <i>C. robusta</i>			
<i>Coriaria arborea</i>	tutu		tree tutu
<i>Corokia cotoneaster</i>	korokio		wire netting bush
<i>Elaeocarpus dentatus</i> var. <i>dentatus</i>	hīnau		hīnau
<i>Elaeocarpus hookerianus</i>	pōkākā		pōkākā
<i>Fuchsia excorticata</i>	kōtukutuku		tree fuchsia
<i>Fuscospora fusca</i>	tawhai		red beech
<i>Fuscospora solandri</i>	tawhai rauriki		black beech
<i>Gaultheria antipoda</i>	tāwiniwini		snowberry
<i>Gaultheria macrostigma</i>			prostrate snowberry
<i>Gaultheria rupestris</i> (2019)			snowberry
<i>Geniostoma ligustrifolium</i> var. <i>ligustrifolium</i> (f 2/10/21)	hangehange		hangehange
<i>Griselinia littoralis</i>	kāpuka		broadleaf
<i>Griselinia lucida</i>	puka		broadleaf
<i>Hedycarya arborea</i>	porokaiwhiri		pigeonwood
<i>Helichrysum lanceolatum</i>	niniao		
<i>Hoheria sexstylosa</i>	houhongaonga		narrow-leaved lacebark
<i>Knightia excelsa</i>	rewarewa		rewarewa
<i>Kunzea robusta</i>	kānuka		kānuka
<i>Laurelia novae-zelandiae</i>	pukatea		pukatea
<i>Leptecophylla juniperina</i>	mingimingi		mingimingi
<i>Leptospermum scoparium</i> var. <i>scoparium</i>	mānuka		mānuka
<i>Leucopogon fasciculatus</i>	mingimingi		mingimingi
<i>Melicope simplex</i>	poataniwha		
<i>Mida salicifolia</i> (unc)	maire taiki		N.Z. sandalwood
<i>Melicytus ramiflorus</i> subsp. <i>ramiflorus</i>	māhoe		mahoe
<i>Metrosideros robusta</i> (unc)	rātā		northern rātā
<i>Myrsine australis</i>	māpou		māpou
<i>Myrsine salicina</i>	toro		toro
<i>Neomyrtus pedunculata</i>	rōhutu		rōhutu
<i>Nestegis cunninghamii</i>	maire		black maire
<i>Nestegis lanceolata</i>	maire		white maire
<i>Nestegis montana</i>	maire		narrow-leaved maire

<i>Olearia ilicifolia</i>	hakeke	mountain holly
<i>Olearia paniculata</i>	akiraho	akiraho
<i>Olearia rani</i> var. <i>colorata</i>	heketara	heketara
<i>Ozothamnus leptophyllus</i>	tauhinu	tauhinu
<i>Pennantia corymbosa</i>	kaikōmako	kaikōmako
<i>Peraxilla tetrapetala</i> (unc f 11/2018)	pirirangi	red mistletoe found
<i>Piper excelsum</i> subsp. <i>excelsum</i>	kawakawa	kawakawa
<i>Pittosporum cornifolium</i>	tāwhirikaro	perching pittosporum
<i>Pittosporum eugenoides</i>	tarata	lemonwood
<i>Pittosporum tenuifolium</i>	kōhūhū	black matipo
<i>Pseudopanax arboreus</i>	whauwhaupaku	five-finger
<i>Pseudopanax crassifolius</i>	horoeka	lancewood
<i>Pseudowintera axillaris</i>	horopito	pepper tree
<i>Pseudowintera colorata</i>	horopito	mountain pepper tree
<i>Pterophylla racemosa</i>	kāmahi	kāmahi
<i>Raukaua anomalus</i>	whauwhaupaku	
<i>Raukaua edgerleyi</i>	raukawa	raukawa
<i>Schefflera digitata</i>	patē	patē
<i>Solanum aviculare</i>	poroporo	poroporo
<i>Sophora microphylla</i> (f 2/10/21)	kōwhai	S.I. kōwhai
<i>Urtica ferox</i>	ongaonga	tree nettle
<i>Veronica parviflora</i>	koromiko taranga	tree hebe
<i>Veronica stricta</i> var. <i>stricta</i>	koromiko	koromiko

Monocot Lianes

<i>Freycinetia banksii</i>	kiekie	kiekie
<i>Ripogonum scandens</i>	kareao	supplejack

Dicot Lianes

<i>Clematis forsteri</i>	pōānanga	clematis
<i>Clematis paniculata</i>	puawānanga	clematis
<i>Metrosideros colensoi</i>	rātā	white climbing rātā
<i>Metrosideros diffusa</i>	rātā	white climbing rātā
<i>Metrosideros perforata</i>	rātā	clinging white rātā
<i>Muehlenbeckia australis</i>	pōhuehue	large leaf muehlenbeckia
<i>Parsonsia capsularis</i>	akakiore	N.Z. jasmine
<i>Parsonsia heterophylla</i>	akakaikiore	N.Z. jasmine
<i>Passiflora tetrandra</i>	kōhia	NZ passionfruit
<i>Rubus cissoides</i> agg.	tātarāmoa	bush lawyer

Fern allies

<i>Lycopodium volubile</i>	waewaekoukou	climbing club moss
<i>Phlegmariurus billardierei</i> (unc)	whiri-o-Raukatauri	hanging club moss

Phlegmariurus varius ?

whiri-o-Raukatauri hanging club moss

Ferns

<i>Adiantum cunninghamii</i>	puhinui	common maidenhair
<i>Asplenium bulbiferum</i>	manamana	hen and chicken fern
<i>Asplenium flabellifolium</i>		necklace fern
<i>Asplenium flaccidum</i>		
<i>Asplenium gracillimum</i>	makawe-o-Raukatauri	hanging spleenwort
<i>Asplenium hookerianum</i>	manamana	
<i>Asplenium oblongifolium</i>		
<i>Asplenium polyodon</i>	huruhuruwhenua	shining spleenwort
<i>Asplenium hybrid</i>	petako	sickle spleenwort
<i>Blechnum chambersii</i>	nini	lance fern
<i>Blechnum colensoi</i>	peretao	waterfall fern
<i>Blechnum deltoides</i> (unc)	korokio	
<i>Blechnum discolor</i>	piupiu	crown fern
<i>Blechnum filiforme</i>	pānako	thread fern
<i>Blechnum fluitatile</i>	kiwakiwa	ray fern
<i>Blechnum membranaceum</i>	kiokio	swamp kiokio
<i>Blechnum minus</i>		
<i>Blechnum procerum</i>	kiokio	kiokio
<i>Blechnum novaezealandiae</i>		parsley fern
<i>Botrychium biforme</i> (unc)	ponga	silver fern
<i>Cyathea dealbata</i>	mamaku	mamaku
<i>Cyathea medullaris</i>	kātote	soft tree fern
<i>Cyathea smithii</i>	whekī	whekī
<i>Dicksonia squarrosa</i>	mātā	water fern
<i>Histiopteris incisa</i>	irirangi	drooping filmy fern
<i>Hymenophyllum demissum</i>	matua mauku	filmy fern
<i>Hymenophyllum dilatatum</i>	mauku	filmy fern
<i>Hymenophyllum flabellatum</i>	mauku	filmy fern
<i>Hymenophyllum flexuosum</i>	mauku	filmy fern
<i>Hymenophyllum multifidum</i>	raurenga	filmy fern
<i>Hymenophyllum nephrophyllum</i>	mauku	kidney fern
<i>Hymenophyllum rarum</i>	piripiri	filmy fern
<i>Hymenophyllum sanguinolentum</i>	mauku	scented filmy fern
<i>Hymenophyllum scabrum</i>	mauku	rough filmy fern
<i>Hymenophyllum villosum</i>	mauku	filmy fern
<i>Hypolepis ambigua</i>		pig fern
<i>Hypolepis lactea</i>		sticky pig fern
<i>Hypolepis rufobarbata</i>		hairy pig fern
<i>Lastreopsis hispida</i>	tuakura	rough shield fern
<i>Lastreopsis velutina</i>		velvet shield fern
<i>Leptopteris hymenophylloides</i>	heruheru	single crepe fern
<i>Microsorum pustulatum</i> subsp. <i>pustulatum</i>	kōwaowao	hound's tongue

<i>Microsorum scandens</i>	mokimoki	fragrant fern
<i>Notogrammitis billardierei</i>	paretao	strap fern
<i>Notogrammitis heterophylla</i>	taupeka	comb fern
<i>Paesia scaberula</i>	mātātā	ring fern
<i>Parapolystichum glabellum</i>		smooth shield fern
<i>Pellaea rotundifolia</i>	tarawera	button fern
<i>Pteridium esculentum</i>	rārahu	bracken
<i>Pteris macilenta</i>	titipo	sweet brake
<i>Pneumatopteris pennigera</i>	pākau	gully fern
<i>Polystichum neozelandicum</i>	pikopiko	shield fern
<i>Polystichum vestitum</i>	pūniu	prickly shield fern
<i>Pyrrosia eleagnifolia</i>	ota	leather-leaf fern
<i>Rumohra adiantiformis</i>	karuwhai	leathery shield fern
<i>Tmesipteris elongata</i>		fork fern
<i>Trichomanes endlicherianum</i>		bristle fern
<i>Trichomanes venosum</i>		veined bristle fern

Orchids

<i>Chiloglottis cornuta</i>		duck orchid
<i>Corybas hypogaeus</i> (f 2/10/21)		spider orchid
<i>Dendrobium cunninghamii</i>	winika	lady's slipper orchid
<i>Earina autumnalis</i>	raupeka	Easter orchid
<i>Earina mucronata</i>	peka-a-waka	spring orchid
<i>Microtis unifolia</i>	māikaika	onion-leaved orchid
<i>Orthoceras novae-zeelandiae</i>	māikaika	horned orchid
<i>Thelymitra cyanea</i>	māikuku	swamp sun orchid
<i>Thelymitra longifolia</i> agg	māikaika	white sun orchid
<i>Thelymitra</i> sp. narrow lvs. (unc)		sun orchid

Grasses

<i>Austroderia fulvida</i>	toetoe	toetoe
<i>Festuca multinodis</i> ? (probably <i>F. rubra</i>)		
<i>Microlaena avenacea</i>		bush rice grass
<i>Poa</i> sp.		
<i>Rytidosperma</i> sp.		

Sedges

<i>Carex banksiana</i>		hook sedge
<i>Carex breviculmis</i> ?		
<i>Carex dissita</i>		hook sedge
<i>Carex healyi</i>		hook sedge
<i>Carex horizontalis</i>		hook sedge
<i>Carex megalepis</i>		hook sedge

<i>Carex minor</i>		hook sedge
<i>Carex uncinata</i>	matau-a-Maui	hook sedge
<i>Carex secta</i>	pūrei	
<i>Carex</i> sp.		
<i>Eleocharis acuta</i>		spike sedge
<i>Gahnia procera</i> ?	tākahikahi	
<i>Gahnia setifolia</i>	māpere	
<i>Isolepis prolifera</i>		

Rushes and allied genera

<i>Juncus sarophorus</i>	wīwī	leafless rush
<i>Luzula banksiana</i> var. <i>banksiana</i>		wood rush
<i>Luzula picta</i> var. <i>picta</i>		wood rush

Monocot Herbs

<i>Arthropodium candidum</i>	repehina-papa	small renga lily
<i>Astelia fragrans</i>	kakaha	bush flax
<i>Astelia hastata</i>	kahakaha	collospermum
<i>Astelia microsperma</i>	kahakaha	collospermum
<i>Astelia solandri</i>	kōwharawhara	astelia
<i>Dianella nigra</i>	tūrutu	blueberry
<i>Libertia grandiflora</i>	mikoikoi	NZ iris
<i>Libertia ixioides</i>	mikoikoi	NZ iris
<i>Libertia mooreae</i>	mikoikoi	N.Z. iris
<i>Potamogeton cheesemanii</i>	mānihi	red pond weed
<i>Potamogeton suboblongus</i>	rērēwai	pond weed

Composite Herbs

<i>Anaphalioides trinervis</i>		
<i>Brachyglossis lagopus</i>		yellow rock daisy
<i>Craspedia minor</i> ?	puatea	woollyhead
<i>Helichrysum filicaule</i>		
<i>Raoulia glabra</i>		mat daisy
<i>Senecio minimus</i>		fireweed
<i>Senecio quadridentatus</i> agg.	pekapeka	cotton fireweed

Dicot Herbs

<i>Acaena anserinifolia</i>	piripiri	bidibid
<i>Acaena novae zelandiae</i>	piripiri	bidibid
<i>Australina pusilla</i> subsp. <i>pusilla</i>		
<i>Cardamine dolichostyla</i>	panapana	N.Z bitter cress
<i>Epilobium cinereum</i>	pukatea	

<i>Epilobium nummulariifolium</i>		
<i>Epilobium nerteroides</i>		
<i>Epilobium</i> sp. (narrow-lvd.)		
<i>Haloragis erecta</i> subsp. <i>erecta</i>	toatoa	shrubby haloragis
<i>Hydrocotyle elongata</i>		
<i>Hydrocotyle moschata</i> var. <i>moschata</i>		hairy pennywort
<i>Hydrocotyle novae-zelandiae</i> agg		
<i>Lobelia angulata</i>	pānakenake	pratia
<i>Nertera depressa</i>		common bead plant
<i>Plantago raoulii</i>	kopakopa	N.Z. plantain
<i>Ranunculus reflexus</i>	mārūrū	buttercup
<i>Stellaria parviflora</i>	kohukohu	N.Z. chickweed
<i>Urtica sykesii</i>	ongaonga	nettle
<i>Wahlenbergia</i> sp.	rimuroa	harebell

Birds:**Indigenous**

<i>Anthornis melanura melanura</i>	korimako	bellbird
<i>Gerygone igata</i>	riroriro	grey warbler
<i>Hemiphaga novaeseelandiae</i>	kererū	NZ wood pigeon
<i>Mohoua albicilla</i>	pōpokotea	whitehead
<i>Prosthemadera novaeseelandiae novaeseelandiae</i>	tūī	tūī
<i>Rhipidura fuliginosa placabilis</i>	pīwakawaka	N.I. fantail
<i>Tadorna variegata</i>	pūtangitangi	paradise

Introduced

<i>Fringilla coelebs gengleri</i>	chaffinch
-----------------------------------	-----------

Adventives:

Botanical Name	Māori Name	Common Name
Gymnosperm Trees		
<i>Pinus radiata</i>		radiata pine
Monocot Trees		
Dicot Trees/Shrubs		
<i>Erica lusitanica</i> (f 2/10/21)		Spanish heath
<i>Ulex europaeus</i>	kōhi	gorse
Monocot Lianes		
Dicot Lianes		
<i>Rubus fruticosus</i> agg.		blackberry
Grasses		
<i>Dactylis glomerata</i>		cocksfoot
<i>Festuca rubra</i> var. <i>commutata</i>		Chewing's fescue
<i>Holcus lanatus</i>		Yorkshire fog
<i>Lolium arundinaceum</i> subsp. <i>arundinaceum</i>		tall fescue
Sedges		
<i>Carex leporina</i> ?		oval sedge
Rushes		
<i>Juncus effusus</i> var. <i>effusus</i>		soft rush
<i>Juncus tenuis</i> subsp. <i>tenuis</i>		track rush
Monocot Herbs		
<i>Crocosmia x crocosmiiflora</i>		montbretia
Composite Herbs		
<i>Cirsium palustre</i>		swamp thistle

Cirsium vulgare
Jacobaea vulgaris
Leucanthemum vulgare
Taraxacum officinale (f 2/10/21)

Scotch thistle
ragwort
oxeye daisy
dandelion

Dicot Herbs

Digitalis purpurea
Linum bienne (f 2/10/21)
Nasturtium officinale
Orobanche minor
Plantago lanceolata
Prunella vulgaris
Ranunculus acris subsp. *acris*
Ranunculus repens (f 2/10/21)
Trifolium repens (f 2/10/21)
Verbascum thapsus
Vicia sativa (f 2/10/21)

foxglove
watercress
broom rape
narrow leaved plantain
selfheal
giant buttercup
creeping buttercup
white clover
woolly mullein
common vetch