Scaevola gracilis

COMMON NAME

Scaevola

SYNONYMS

Scaevola porrecta A.C.Sm.

FAMILY

Goodeniaceae

AUTHORITY

Scaevola gracilis Hook.f.

FLORA CATEGORY

Vascular - Native

ENDEMIC TAXON

No

ENDEMIC GENUS

Nο

ENDEMIC FAMILY

Nο

STRUCTURAL CLASS

Herbs - Dicotyledons other than Composites

CHROMOSOME NUMBER

2n = 48

CURRENT CONSERVATION STATUS

2017 | At Risk - Naturally Uncommon | Qualifiers: RR, SO?

PREVIOUS CONSERVATION STATUSES

2012 | At Risk – Naturally Uncommon | Qualifiers: RR, SO 2009 | At Risk – Naturally Uncommon | Qualifiers: OL, TO

2004 | Range Restricted



Taken in December. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.



Raoul island. Photographer: Bec Stanley, Licence: CC BY-SA.

DISTRIBUTION

Indigenous. New Zealand: Kermadec Islands group (Raoul and Macauley Islands). Also present on the Ha"apai Group (Kao and Tofua) in the northern Tonga Group

HABITAT

Coastal to lowland. A primary coloniser of bare rock, boulder field, sand dunes, talus slopes and cliff faces - also growing around active fumaroles.

DETAILED DESCRIPTION

Creeping, prostrate to suberect, semi-woody shrub forming patches up to 2×1 m. Branches widely spreading, clad in long silky hairs; branchlets slightly zigzag, hairs long, silky, \pm appressed. Leaves on pilose, dark green to redgreen flattened petioles up to 25 mm long, axils villous. Lamina 20-90 \times 10-35 mm long, obliquely lanceolate-oblong to obovate, base narrowly cuneate, apex acute, upper $\frac{1}{2}$ - $\frac{1}{3}$ serrate-dentate; dark green to yellow green, sometimes reddish green or streaked with red, silky-hairy. Flowers usually solitary, subsessile, up to 25 mm across, faintly fragrant. Calyx cupular, indistinctly lobed. Corolla white with yellow throat; tube short, villous; lobes narrow-oblong, mucronate. Stamens < tube; style pilose; pollen-cup with fimbriate margins. Drupe white, fleshy, 10.0-10.5 \times 8.0-10.5 mm, ovoid to subglobose. Seeds compressed, c.3 mm. long

SIMILAR TAXA

None.

FLOWERING

Throughout the year

FLOWER COLOURS

White

FRUITING

Throughout the year

PROPAGATION TECHNIQUE

Easily grown from semi-hardwood cuttings and fresh seed. Plants can be induced to layer. An attractive ground cover for a sunny, well drained soil. Excellent as in a hanging basket or tub. Cold sensitive.

THREATS

A naturally uncommon species confined in the New Zealand Botanical Region to the Kermadec Islands, where it is locally abundant.

ETYMOLOGY

gracilis: Slender

ATTRIBUTION

Description modified from Allan (1961).

REFERENCES AND FURTHER READING

Allan, H.H. 1961: Flora of New Zealand. Vol. I. Government Printer, Wellington.

MORE INFORMATION

https://www.nzpcn.org.nz/flora/species/scaevola-gracilis/