# **Buellia cranwelliae**

## **FAMILY**

Caliciaceae

#### **AUTHORITY**

Buellia cranwelliae Zahlbr.

### **FLORA CATEGORY**

Lichen - Native

### **ENDEMIC TAXON**

Nο

#### **ENDEMIC GENUS**

Nο

# **ENDEMIC FAMILY**

Νo

## STRUCTURAL CLASS

Lichens - Crustose

# **CURRENT CONSERVATION STATUS**

2018 | At Risk - Naturally Uncommon | Qualifiers: RR, S?O, Sp

## **BRIEF DESCRIPTION**

Characterised by the saxicolous habit (coastal rocks); the grey-white, areolate thallus; innate to sessile, scattered, black apothecia; a brown-black hypothecium; and biseriate, brown, ellipsoidal to oval or fabiform ascospores,  $11-13 \times 5-6 \mu m$ .

#### **DISTRIBUTION**

**North Island:** Northland (Hokianga, Anawhata), Auckland (Rangitoto Island). **South Island:** Canterbury (Banks Peninsula). Norfolk Island (Elix 2016).

#### **HABITAT**

On coastal rocks

# **DETAILED DESCRIPTION**

**Thallus** white or grey-white irregularly rimose to areolate-cracked, areolae angular, convex or  $\pm$  plane, 0.3-1.0 mm diam., separated by deep cracks, surface matt, roughened, areolae becoming  $\pm$  confluent and forming a subverrucose crust, in patches 0.5-1.5 cm diam., prothallus marginal, indistinct, saxicolous. **Apothecia** innate to sessile, scattered, between or at margins of areolae, solitary to 1-3-confluent, rounded to deformed through mutual pressure, 0.3 mm diam., **disc** plane, black, epruinose, margin very thin, entire, persistent, concolorous with disc. **Hypothecium** brown-black. **Ascospores** biseriate, brown, ellipsoid or oval to  $\pm$  fabiform, apices rounded, 11-13  $\times$  5-6  $\mu$ m.

## **SUBSTRATE**

Saxicolous

## **ATTRIBUTION**

Fact sheet prepared by Marley Ford (4 March 2024). Brief description, Distribution, Habitat, Features and Similar taxa sections copied from Galloway (1985) & Galloway (2007).





On coastal concretions, Hokianga Far North. Photographer: Marley Ford, Date taken: 01/11/2019, Licence: CC BY.



On coastal concretions, Hokianga Far North. Photographer: Marley Ford, Date taken: 01/11/2019, Licence: CC BY.

# REFERENCES AND FURTHER READING

Elix J.A. 2016: New species and new records of buellioid lichens from islands of the South Pacific Ocean. *Telopea* 19: 1-10.

Galloway D.J. 1985: Flora of New Zealand: Lichens. Wellington: PD Hasselberg, Government Printer. 662 pp. Galloway D.J. 2007: Flora of New Zealand: Lichens, including lichen-forming and lichenicolous fungi. 2nd edition. Lincoln, Manaaki Whenua Press. 2261 pp.

# **MORE INFORMATION**

https://www.nzpcn.org.nz/flora/species/buellia-cranwelliae/