

Cololejeunea floccosa

COMMON NAME

Liverwort

FAMILY

Lejeuneaceae

AUTHORITY

Cololejeunea floccosa (Lehm. et Lindenb.) Steph.

FLORA CATEGORY

Non-vascular – Native

ENDEMIC TAXON

No

ENDEMIC GENUS

No

ENDEMIC FAMILY

No

STRUCTURAL CLASS

Liverworts

NVS CODE

COLFLO

CURRENT CONSERVATION STATUS

2009 | At Risk – Naturally Uncommon | Qualifiers: DP, SO

DISTRIBUTION

Indigenous. New Zealand: North Island (Northland). Also Australia and western Oceania

HABITAT

Coastal and lowland forest. Usually on the bark of podocarps such as rimu (*Dacrydium cupressinum*)

SUBSTRATE

Corticolous. Usually on the bark of podocarps such as rimu (*Dacrydium cupressinum*)

Fact Sheet Prepared for NZPCN by: P.J. de Lange 13 October 2011

MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/cololejeunea-floccosa/>



Te Pahi, on *Dacrydium cupressinum* bark. Sep 2011. Photographer: Jeremy R. Rolfe, Licence: CC BY.