# Heteroscyphus argutus

## **COMMON NAME**

Liverwort

#### **FAMILY**

Lophocoleaceae

#### **AUTHORITY**

Heteroscyphus argutus (Reinw., Blume et Nees) Schiffn.

#### **FLORA CATEGORY**

Non-vascular - Exotic

#### STRUCTURAL CLASS

Liverworts

#### **NVS CODE**

**HETARG** 

#### **CONSERVATION STATUS**

Not applicable

#### **DISTRIBUTION**

Indigenous. Kermadec Islands (Raoul Island): New Zealand: North Island (North Cape, Whiriwhiri Stream); Chatham Islands (Rekohu (Chatham) Island). Widespread through the high islands of the tropical Pacific and extending into Malesia.

#### **HABITAT**

Terricolous, saxicolous and lignicolous in dense coastal forest.

#### **THREATS**

Abundant on Raoul Island where it is the most common Heteroscyphus species present. Otherwise scarce in New Zealand proper where it is known from a small area on the banks of the Whiriwhiri Stream, North Cape, from Tuhua (Mayor Island) and from Rekohu (Chatham Island). The North Cape population is in a secure reserve, Tuhua (Mayor Island) is privately owned reserve, while the Chatham Island population is found within a protected covenant. The current distribution suggests that this species should be found elsewhere in northern New Zealand. Because Heteroscyphus argutus is so common on Raoul Island it has been listed as "At Risk/Naturally Uncommon" by the Threatened Bryophyte Panel (see Glenny et al. 2011).





Moumoukai, Raoul Island. May 2011. Photographer: Peter J. de Lange, Licence: CC BY-NC.



Prospect, Raoul Island. May 2011. Photographer: Peter J. de Lange, Licence: CC RY-NC.

# **ETYMOLOGY**

argutus: Sharp, sharp-toothed

## REFERENCES AND FURTHER READING

Glenny, D.; Fife, A.J.; Brownsey, P.J.; Renner, M.A.M.; Braggins, J.E.; Beever, J.E.; Hitchmough, R. 2011: Threatened and uncommon bryophytes of New Zealand (2010 Revision). New Zealand Journal of Botany 49: 305-327. Glenny, D.S.;

# **MORE INFORMATION**

https://www.nzpcn.org.nz/flora/species/heteroscyphus-argutus/