

# Pomaderris edgerleyi

## SYNONYMS

*Pomaderris prunifolia* var. *edgerleyi* (Hook.f.) L.B.Moore

## FAMILY

Rhamnaceae

## AUTHORITY

*Pomaderris edgerleyi* Hook.f.

## FLORA CATEGORY

Vascular – Native

## ENDEMIC TAXON

Yes

## ENDEMIC GENUS

No

## ENDEMIC FAMILY

No

## STRUCTURAL CLASS

Trees & Shrubs - Dicotyledons

## CHROMOSOME NUMBER

2n = 36, 37

## CURRENT CONSERVATION STATUS

2017 | At Risk – Declining | Qualifiers: DP

## PREVIOUS CONSERVATION STATUSES

2012 | Not Threatened

2009 | Not Threatened

2004 | Not Threatened

## BRIEF DESCRIPTION

Low-growing shrub to 1m tall with rusty fuzzy twigs bearing small wrinkled leathery oval leaves with small teeth along the edge and clusters of yellowish flowers inhabiting Northland. Leaves 15–25 mm long by 7–10 mm wide, fuzzy underneath. Fruit dry, small.

## DISTRIBUTION

Endemic. New Zealand: North Island (Te Pahi south to about Dargaville).

## FLOWER COLOURS

Cream, Yellow

## ETYMOLOGY

**pomaderris**: Lid skin

**edgerleyi**: Named after John Edgerley (1814 - 1849) who spent time in New Zealand and Australia

## WHERE TO BUY

Occasionally sold by specialist native plant nurseries

## MORE INFORMATION

<https://www.nzpcn.org.nz/flora/species/pomaderris-edgerleyi/>



Spirits Bay, September. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.



Spirits Bay, September. Photographer: John Smith-Dodsworth, Licence: CC BY-NC.