

WANGANUI PLANT LIST 9

Vascular Plants of Westmere (Tangingongoro) Scenic Reserve

Compiled by Colin Ogle and other members of
Wanganui Museum Botanical Group

5 June 1989

Additions 25 September 1990

updated nomenclature for Polystichum richardii 21 August 2003

List of all native species encountered, and conspicuous and/or potentially threatening adventive species.

* = adventive species;
(u) = uncommon
(j) = juveniles only.

GYMNOSPERMS

| | | |
|--------------------------|------------|---|
| * Cupressus macrocarpa | macrocarpa | u |
| Dacrycarpus dacrydioides | kahikatea | |
| * Pinus radiata | | |

DICOT TREES, SHRUBS, LIANES

| | | |
|--|----------------------|---|
| Alectryon excelsus | titoki | |
| Beilschmiedia tawa | tawa | |
| * Berberis glaucocarpa | barberry | |
| Brachyglottis repanda | rangiora | |
| Coprosma robusta | karamu | |
| Corynocarpus laevigatus | karaka | j |
| * Cytisus scoparius | broom | |
| Elaeocarpus dentatus | hinau | u |
| Fuchsia excorticata | kotukutuku | |
| Geniostoma rupestre var. ligustrifolium | hangehange | |
| Hebe stricta var. stricta | koromiko | u |
| Hedycarya arborea | pigeonwood | |
| Hoheria populnea var. (H sexstylosa) | lacebark | |
| Knightia excelsa | rewarewa | u |
| * Lonicera japonica | Japanese honeysuckle | u |
| Macropiper excelsum | kawakawa | |
| Melicytus ramiflorus | mahoe | |
| Metrosideros colensoi | white rata vine | u |
| M. diffusa | white rata vine | |

Wanganui plant list 9 - Westmere Scenic Reserve

| | | |
|--------------------------|-------------------|------|
| Muehlenbeckia australis | pohuehue | |
| Myoporum laetum | ngaio | |
| Nestegis cunninghamii | black maire | u |
| Parsonsia capsularis | NZ jasmine | |
| P. heterophylla | NZ jasmine | |
| Pittosporum eugenoides | lemonwood, tarata | j |
| * Prunus sp. | plum? | u, j |
| Pseudopanax crassifolius | lancewood | |
| Rubus cissoides | bush lawyer | u |
| * R. fruticosus agg. | blackberry | u, j |
| * Salix fragilis | crack willow | |
| Schefflera digitata | pate | |
| * Ulex europaeus | gorse | |

DICOT HERBS

| | | |
|--------------------------|--------------|--|
| Gnaphalium gymnocephalum | cudweed | |
| Oxalis exilis | | |
| Senecio rufiglandulosus | | |
| Stellaria decipiens | NZ chickweed | |

MONOCOT TREES AND LIANES

| | | |
|---------------------|--------------|--|
| Cordyline australis | cabbage tree | |
| Ripogonum scandens | supplejack | |

MONOCOT HERBS

| | | |
|---------------------------------------|---------------------|---|
| Carex flagellifera | | u |
| C. lessoniana | | |
| C. virgata | | |
| C. sp. [C. geminata agg. - giant sp.] | | |
| Cortaderia toetoe | toetoe | |
| * Dactylis glomerata | cocksfoot | |
| Earina autumnalis | autumn orchid | u |
| E. mucronata | | |
| * Juncus effusus | rush | |
| Microlaena avenacea | bush rice grass | u |
| Microtis sp. [M. unifolia?] | onion-leaved orchid | u |
| Pterostylis banksii | hood orchid | u |
| Schoenus maschalinus | | u |
| Uncinia uncinata | hook grass | |

FERNS

| | | |
|---------------------------|------------|--|
| Adiantum cunninghamii | maidenhair | |
| Anarthropteris lanceolata | | |

Wanganui plant list 9 - Westmere Scenic Reserve

| | | |
|--|----------------------|---|
| Asplenium bulbiferum | hen and chicken fern | |
| A. flaccidum | hanging spleenwort | |
| A. gracillimum | | |
| A. polyodon | | |
| A. bulbiferum x A. flaccidum | | u |
| A. bulbiferum x A. hookerianum ? | | u |
| Blechnum chambersii | | |
| B. filiforme | climbing blechnum | |
| B. fluviatile | | u |
| B. sp. [unnamed; [B. capense agg.] "B. black spot"] | kiokio | |
| Cyathea dealbata | ponga | |
| C. medullaris | mamaku | |
| Dicksonia fibrosa | wheki-ponga | u |
| D. squarrosa | wheki | |
| Hypolepis ambigua | | |
| Lastreopsis glabella | | u |
| Paesia scaberula | ring fern | u |
| Pellaea rotundifolia | button fern | u |
| Phymatosorus diversifolius | hound's tongue | |
| Pneumatopteris pennigera | | |
| Polystichum neozelandicum subsp. zerophyllum | | |
| Pteridium esculentum | bracken | |
| Pteris pendula [P. macilenta of NZ authors] | | |
| Pyrrhosia eleagnifolia | | |

Total = 65 native species (+ 2 hybrids)