

Wanganui Plant List 81

Department Of Conservation, Wanganui

Indigenous plants of Mt View Farm forest, Whangaehu Valley Road, Whangaehu River Colin Ogle and Wanganui Botanical Group, 28 January 1995.

a = abundant; c = common; o = occasional; u = uncommon; l = local

* denotes adventive species (planted specimens and pasture grasses along tracks are not listed)

Gymnosperms

Dacrycarpus dacrydioides	(kahikatea)	adults (u); juv.(c)
Dacrydium cupressinum	(rimu)	1 dead juv.
Podocarpus totara	(totara)	adults (u);
Prumnopitys taxifolia	(matai)	adults (o); juv (o)

Dicot trees and shrubs

Alectryon excelsus	(titoki)	c (juv (a))
Aristolelia serrata	(wineberry, makomako)	u
Beilschmiedia tawa	(tawa)	a
* Berberis glaucocarpa	(barberry)	o
Brachyglottis repanda	(rangiora)	lc
Carmichaelia arborea var.	(NZ broom)	u
Coprosma areolata		a
C. grandifolia	kanono	c
C. rhamnoides		l
C. robusta	(karamu)	o
C. rotundifolia	round-leaved coprosma	c
Elaeocarpus dentatus	(hinau)	o
E. hookerianus	pokaka	u
Geniostoma rupestre var. ligustrifolium	(hangehange)	o
Griselinia lucida	broadleaf	2 dead
Hebe stricta var. stricta	(koromiko)	lc
H. sp. (unnamed; Veronica squalida)		lc
Hedycarya arborea	(pigeonwood)	o
Hoheria populnea var. [= H. sexstylosa]	(lacebark)	o
Knightia excelsa	(rewarewa)	o
Korthalsella lindsayi	dwarf mistletoe	l ¹
Kunzea ericoides	(kanuka)	lc
Leptospermum scoparium	(manuka)	u

¹ Many mistletoes on 2 shrubs of Melicope simplex on forest edge.

Lophomyrtus obcordata	(rohutu)	c
Macropiper excelsum	kawakawa	c (juv)
Melicope simplex		c
Melicytus ramiflorus	(mahoe)	c
Myrsine australis	(mapou)	o
Olearia rani	(heketara)	u
Pennantia corymbosa	(kaikomako)	u
Pittosporum eugenioides	(lemonwood, tarata)	o
P. tenuifolium var.	(kohuhu)	o
Pseudopanax anomalus		u
P. arboreus	(5-finger)	u
P. crassifolius	(lancewood)	o
Rhabdothamnus solandri	taurepo, NZ gloxinia	o
Schefflera digitata	(pate)	o
Sophora microphylla	(kowhai)	lc
Streblus heterophyllus	(small-leaved milktree)	o
Urtica ferox	(shrub nettle)	lc
Weinmannia racemosa	(kamahi)	u

Monocot shrub

Cordyline banksii	(Banks' cabbage tree)	u
-------------------	-----------------------	---

Dicot lianes

Calystegia tuguriorum		o
Clematis foetida		o
C. forsteri		u
* C. vitalba	old man's beard	1 (eradicated)
Metrosideros colensoi	(white climbing rata)	c
Muehlenbeckia australis	(pohuehue)	u
Parsonsia capsularis	(NZ jasmine)	u
P. heterophylla	NZ jasmine	o (juv.(c))
Passiflora tetrandra	(NZ passionflower)	o
Rubus cissoides var. cissoides	(bush lawyer)	u
R. schmidelioides var. schmidelioides	(bush lawyer)	o
R. schmidelioides x R. squarrosus		u

Monocot liane

Ripogonum scandens	(supplejack)	lc
--------------------	--------------	----

Dicot herbs

Acaena anserinifolia	(bidibidi)	o
* Arctium minus	burdock	o
Callitriche muelleri		u
* C. stagnalis	starwort	u
Cardamine sp. [C. debilis agg.]	(bittercress)	u

Gnaphalium gymnocephalum	cudweed	u
Hydrocotyle elongata	(pennywort)	o
* Lotus pedunculatus	(lotus major)	o
Oxalis exilis		u
Pratia angulata		u
* Ranunculus acris	(giant buttercup)	u
* Senecio hispidulus	(fireweed)	u
* S. jacobaea	(ragwort)	u
* Stachys sylvatica	hedge woundwort	u
Stellaria decipiens		u
Urtica incisa	(nettle)	o

Monocot herbs

Astelia solandri	(perching lily)	o
Carex lambertiana		u
C. lessoniana (?)		lc
* C. ovalis		u
C. solandri		a
C. virgata		u
Collospermum hastatum	(perching lily)	o
Cortaderia fulvida	(toetoe)	u
Earina autumnalis	Easter orchid	u
E. mucronata		o
Echinopogon ovatus	hedgehog grass	u
Microlaena avenacea	(bush ricegrass)	o
Phormium cookianum	(mtn. flax)	lc
Poa anceps var. anceps		lc
Uncinia ferruginea	(hook grass)	c
U. laxiflora	(hook grass)	u
U. uncinata	(hook grass)	c

Fern Allies

Lycopodium varium	(clubmoss)	u
Tmesipteris elongata		o

Ferns

Adiantum cunninghamii	(maidenhair fern)	o
Anarthropteris lanceolata		lc
Asplenium bulbiferum	(hen and chicken fern)	u
A. flaccidum	(hanging spleenwort)	o
A. gracillimum		c
A. hookerianum		o
A. oblongifolium	(shining spleenwort)	o
A. polyodon		o
A. flaccidum x A. gracillimum		u
A. gracillimum x A. hookerianum		u
Blechnum chambersii		o

<i>B. colensoi</i>		u
<i>B. fluviatile</i>		o
<i>B. sp.</i> [<i>B. capense</i> agg. "Black spot"]	(kiokio)	u
<i>B. sp.</i> [<i>B. capense</i> agg. "Green Bay form"]		lc
<i>Cyathea dealbata</i>	(ponga)	c
<i>C. smithii</i>	katote, soft tree fern	u
<i>Dicksonia fibrosa</i>	(wheki-ponga)	c
<i>D. squarrosa</i>	(wheki)	c
<i>Histiopteris incisa</i>		u
<i>Hymenophyllum demissum</i>	(filmy fern)	o
<i>H. flabellatum</i>	(filmy fern)	lc
<i>H. flexuosum</i>	(filmy fern)	o
<i>Hypolepis ambigua</i>		o
<i>Lastreopsis glabella</i>		o
<i>L. velutina</i>	velvet fern	u
<i>Leptolepia novae-zelandiae</i>		u
<i>Leptopteris hymenophylloides</i>	(heruheru)	o
<i>Paesia scaberula</i>	(ring fern)	u
<i>Pellaea rotundifolia</i>	(button fern)	o
<i>Phymatosorus diversifolius</i>	(hounds tongue)	o
<i>P. scandens</i>		c
<i>Pneumatopteris pennigera</i>		o
<i>Polystichum richardii</i>		o
<i>P. silvaticum</i>		u
<i>Pteridium esculentum</i>	(bracken)	lc
<i>Pteris pendula</i> [<i>P. macilenta</i> of NZ authors]		u
<i>P. tremula</i>		o
<i>Pyrrosia eleagnifolia</i>		o
<i>Trichomanes venosum</i>	(bristle fern)	u

Total = 121 indigenous species (excluding hybrids)