

WANGANUI PLANT LIST 111

Vascular Plants of Tricker's Leedstown Road bush, Mt Curl, Map Ref: NZMS 1/ N139/012 828

This bush is about 2.5 ha. in extent and lies at the top end on the plateau at the north end of Leedstown Road, descending on a north facing slope to the bottom of Mt Curl Road at the eastern (SH1) end.

WANGANUI BOTANICAL GROUP 28 NOVEMBER 1998

a= abundant

c= common

o= occasional

u= uncommon (very few individuals or small colonies present)

* = adventive species, including native species not naturally occurring in this district.

f = flowering on 28.11.98

Gymnosperms

<i>Dacrycarpus dacrydioides</i>	kahikatea	c
<i>Dacrydium cupressinum</i>	rimu	u
<i>Podocarpus totara</i>	totara	o
<i>Prumnopitys taxifolia</i>	matai	o

Dicot Trees and Shrubs

<i>Alectryon excelsus</i>	titoki	c
<i>Beilschmiedia tawa</i>	tawa	a
* <i>Berberis glaucocarpa</i>	barberry	u
<i>Carpodetus serratus</i>	putaputaweta	u
<i>Coprosma areolata</i>		o
<i>C. grandifolia</i>	raurekau	o
<i>C. propinqua</i>		
<i>C. rhamnoides</i>		o
<i>C. rigida</i>		
<i>C. rotundifolia</i>		c
<i>C. tenuicaulis</i>		
<i>Elaeocarpus hookerianus</i>	pokaka	o, f
<i>Geniostoma rupestre</i> var. <i>ligustrifolium</i>	hangehange	o
<i>Hedycarya arborea</i>	pigeonwood	u
<i>Knightia excelsa</i>	rewarewa	o
<i>Kunza ericoides</i>	kanuka	c
<i>Laurelia novae-zelandiae</i>	pukatea	
<i>Lophomyrtus bullata</i>	ramarama	a
<i>Melicytus ramiflorus</i>	mahoe	a
<i>Metrosideros robusta</i>	northern rata	u(3)
<i>Myrsine australis</i>	mapou	c
<i>Nestegis cunninghamii</i>	black maire	o

Nothofagus solandri var solandri	black beech	
Nestegis lanceolata	white maire	
Pennantia corymbosa	kaikomako	c, f
Pittosporum tenuifolium	kohuhu	o
Pseudopanax crassifolius	lancewood, horoeka	o
* Sambucus nigra	elderberry	c
Schefflera digitata	patea	o
Solanum laciniatum	poroporo	o
Sophora microphylla	kowhai	o
* S. tetraptera (presumably planted)		u (1)
Streblus heterophyllus	small-leaved milk tree	u
* Vitex lucens	puriri	o
Weinmannia racemosa	kamahi	c

Dicot lianes

Clematis foetida	scented clematis	u
C. forsteri		u
C. paniculata	puawhananga	o
Metrosideros diffusa	white rata vine	c
Muehlenbeckia complexa	pohuehue	o
Parsonsia heterophylla	NZ jasmine	
Passiflora tetrandra	NZ passionflower, kohia	o
Rubus. schmidelioides var. schmidelioides	lawyer	o

Dicot herb

Acaena anserinifolia	piripiri, bidibid	o
*Arctium minus	burdock	o
*Cirsium vulgare	scotch thistle	o
*Conium maculatum	hemlock	o
*Galium aparine	cleavers	o
*Parentucellia viscosa	tar weed	o
* Prunella vulgaris	self-heal	o
Pseudognaphalium sp. (P.luteo-album agg.)	cudweed	
* Ranunculus acris	giant buttercup	a
* Senecio jacobaea	ragwort	c
* Stellaria graminea	stitchwort	c

Monocot tree

Cordyline australis	cabbage tree	o
---------------------	--------------	---

Monocot liane

Ripogonum scandens	supplejack	c
--------------------	------------	---

Monocot herbs

Arthropodium candidum

Carex dissita

* C. divulsa

C. forsteri

Earina mucronata

* Iris foetidissima

Winika (Dendrobium) cunninghamii

a perching orchid

stinking iris

winika

u

Ferns

Adiantum cunninghamii

Asplenium colensoi

A. flaccidum

A. gracillimum

A. hookerianum

A. oblongifolium

A. polyodon

Blechnum chambersii

B. filiforme

B. fluviatile

B. membranaceum

Cyathea dealbata

Hypolepis ambigua

Lastreopsis glabella

Paesia scaberula

Pellaea rotundifolia

Phymatosorus pustulatus

Polystichum richardii

P. silvaticum

Pteris pendula (P. macilenta of NZ Authors)

P. tremula

Pyrrosia eleagnifolia

maidenhair fern

hanging spleenwort

shining spleenwort

sickle spleenwort

climbing blechnum

ponga

ring fern

button fern, tarawera

hound's tongue, kowaowao

common shield fern

sweet fern

shaking brake, turawera

leather-leaf fern