

WANGANUI PLANT LIST NO. 132

**Vascular Plants of forest remnants¹, swamps and tussock grassland
on “Tyrone”, Makuhou Road, Marton.**

¹ Surveyed area did not include forest beside Makuhou Road

Colin Ogle and Wanganui Museum Botanical Group, 31 March 2001; Colin Ogle 9 April 2001,

Colin Ogle and Catia Delmiglio (Auck. Uni.) 24 Jan 2004

Last updated 26 Jan 2004

Plants are listed for

1. Forest remnants, mostly dominated by tawa, but with local dominance of titoki or kahikatea; thickets of divaricating shrubs on stream terraces: NZMS 260/S22/10-34-
2. Perched wetland near ridge crest, dominated by *Carex secta*, *Juncus gregiflorus* and *Poa anceps*: grid ref. S22/102345
3. Pasture (c. 6.3 ha) with unusual component of silver tussock (*Poa cita*): grid ref. S22/115333; includes some clay and sandstone banks

Abbreviations : * = adventive species (a comprehensive list made for the silver tussock area [#3] only); x = present; u = present but uncommon (only one or a very few plants seen); (j) = only juvenile plants seen. Additions to silver tussock area on 24.01.04 (column 3) indicated by upper case X or U.

		1	2	3	
<u>Gymnosperms</u>					
<i>Dacrydium cupressinum</i>	Rimu	u			
<i>Dacrycarpus dacrydioides</i>	(kahikatea)	x			
<i>Podocarpus totara</i>	totara)	x		u(j)	
<i>Prumnopitys taxifolia</i>	(matai)	x			
<u>Dicot trees, shrubs, lianes</u>					
<i>Alectryon excelsus</i>	(titoki	x			
<i>Beilschmiedia tawa</i>	(tawa)	x			
<i>Brachyglottis repanda</i>	(rangiora)	u		Uj	
<i>Clematis foetida</i>		u			
<i>Coprosma areolata</i>		u		U	
<i>Coprosma rhamnoides</i>		x		x	
<i>Coprosma rigida</i>		x			
<i>Coprosma robusta</i>	(karamu)			U	
<i>Coprosma rotundifolia</i>	(round-leaved coprosma)	x			
<i>Geniostoma rupestre</i> var. <i>ligustrifolium</i>	(hangehange)	x		Uj	
<i>Hebe stricta</i> var.	(koromiko)			x	
<i>Hedycarya arborea</i>	(pigeonwood)	u			
<i>Hoheria populnea</i> var [H. <i>sexstylosa</i>]	(lacebark)	x			
<i>Knightia excelsa</i>	(rewarewa)	u			
<i>Kunzea ericoides</i>	(kanuka)	x		xj	

<i>Laurelia novae-zelandiae</i>	(pukatea)	x			
<i>Leptospermum scoparium</i>	(manuka)	x	u	xj	
<i>Leucopogon fasciculatum</i>	(mingimingi)			U	
<i>Lophomyrtus bullata</i>	(ramarama)	u			
<i>Lophomyrtus obcordata</i>		x			
<i>Lophomyrtus bullata</i> x <i>L. obcordata</i>		u			
<i>Macropiper excelsum</i>	(kawakawa)	x			
<i>Melicope simplex</i>	(poatananiwha)	x			
<i>Melicytus micranthus</i>	(small-leaved mahoe)	x			
<i>Melicytus ramiflorus</i>	(mahoe)	x			
<i>Metrosideros colensoi</i>	(white rata vine)	u			
<i>Metrosideros diffusa</i>	(white rata vine)	x		uj	
<i>Metrosideros perforate</i>	(white rata vine)	u			
<i>Muehlenbeckia australis</i>	(pohuehue)	u			
<i>Myrsine australis</i>	(mapou)	u			
<i>Olearia rani</i>	(heketara)	u			
<i>Olearia virgata</i>			u		
<i>Parsonsia capsularis</i>	(NZ jasmine)	x			
<i>Parsonsia heterophylla</i>	(NZ jasmine)	x			
<i>Passiflora tetrandra</i>	(NZ passionflower, kohia)	x			
<i>Pennantia corymbosa</i>	(kaikomako)	x			
<i>Pittosporum tenuifolium</i>	(kohuhu)	u		Uj	
<i>Pseudopanax (Raukaua) anomalus</i>		x			
<i>Pseudopanax crassifolius</i>	(lancewood, horoeka)	x	u	uj	
<i>Rubus schmidelioides</i> var. <i>schmidelioides</i>	(bush lawyer)	x			
<i>Schefflera digitata</i>	(pate)	u			
<i>Solanum</i> sp [S. aviculare/laciniatum]	(poroporo)	x			
<i>Streblus heterophyllus</i>	(small-leaved milktree)	x			
<u>Monocot trees and lianes</u>					
<i>Cordyline australis</i>	(cabbage tree)	x			
<i>Ripogonum scandens</i>	(supplejack)	x			
<u>Monocot herbs</u>					
* <i>Agrostis capillaris</i>	(browntop)			x	
* <i>Agrostis rubra</i> ssp. <i>commutata</i>	(Chewing's fescue)			x	
* <i>Aira caryophyllea</i>	(silvery hair-grass)			x	

<i>Arthropodium candidum</i>	(dwarf renga lily)	u			
* <i>Anthoxanthum odoratum</i>	(sweet vernal)			x	
<i>Carex breviculmis</i>				x	
<i>Carex colensoi</i>				U	
<i>Carex dissita</i>		u			
<i>Carex flagellifera</i>				x	
<i>Carex geminata</i> (s.s.) &/or <i>C. lessoniana</i>		x	x	X	
<i>Carex inversa</i>				U	
<i>Carex secta</i>		u	x		
<i>Carex virgata</i>		x	x	X	
<i>Collospermum hastatum</i>	(perching lily)	u			
<i>Cortaderia fulvida</i>	(toetoe) ? ¹			u?	
<i>Cortaderia toetoe</i>	(toetoe)	x		x	
* <i>Cynosurus cristatus</i>	(crested dogstail)			x	
* <i>Dactylis glomerata</i>	(cocksfoot)			u	
<i>Dichelachne crinita</i>	(plume grass)			x	
<i>Earina mucronata</i>		u			
<i>Echinopogon ovatus</i>	(hedgehog grass)	u			
<i>Eleocharis acuta</i>	(sharp spike-sedge)		x		
* <i>Holcus lanatus</i>	(Yorkshire fog)			x	
<i>Isolepis nodosa</i>	(club sedge)			U	
<i>Isolepis reticularis</i>		x			
* <i>Juncus articulatus</i>	(jointed-leaved rush)		u		
* <i>Juncus bufonius</i>	(toad rush)			X	
<i>Juncus distegus</i>			u	x	
* <i>Juncus effusus</i>	(soft rush)		u		
<i>Juncus gregiflorus</i>		x	x	x	
<i>Juncu pallidus</i>				X	
<i>Juncus sarophorus</i>		x	u	x	
<i>Lemna</i> sp. [L. minor auct NZ]	(duckweed)	x	x		
<i>Lepidosperma australe</i>	(four-square)			u	
<i>Libertia grandiflora</i>				U	
* <i>Lolium perenne</i>	(perennial rye grass)			x	
<i>Luzula picta</i> s.s.	(wood-rush)			U	
* <i>Luzula campestris</i>	(wood-rush)			x	
<i>Microlaena stipoides</i>	(meadow rice grass)	x		x	
<i>Microtis unifolia</i>				U	
<i>Poa anceps</i> ssp. <i>anceps</i>			x	X	
* <i>Poa annua</i>	(annual poa)			U	
<i>Poa cita</i>	(silver tussock)			x	
* <i>Poa pratensis</i>				u?	
<i>Rytidosperma clavatum</i>	(danthonia)			X	

¹ Not seen 24.01.04 despite searching; probably an error for *C.toetoe*.

* <i>Rytidosperma penicillatum</i>	(danthonia)			x	
* <i>Rytidosperma racemosum</i>	(danthonia)	x		x	
<i>Rytidosperma unarede</i>	(danthonia)			x	
* <i>Sporobolus africanus</i>	(rat's tail)			x	
* <i>Vulpia</i> sp.	(vulpia hair-grass)			U	
<u>Dicot herbs</u>					
<i>Acaena anserinifolia</i>	(bidibid, piripiri)	x		X * <i>Carduus pycnocephalus</i> (slender wing thistle)	x
<i>Centella uniflora</i>				U	
* <i>Cirsium arvense</i>	(Californian thistle)	x		x	
* <i>Cirsium palustre</i>	(marsh thistle)	u	x	u	
* <i>Cirsium vulgare</i>	(Scotch thistle)	x		x	
* <i>Crepis capillaris</i>	(hawksbeard)			x	
<i>Dichondra</i> sp. [D. <i>brevifolia</i> agg.]		x			
<i>Epilobium alsinoides</i>	(willow-herb)			u	
<i>Epilobium insulare</i>	(willow-herb)	u			
<i>Epilobium komarovianum</i>	(willow-herb)			u	
<i>Epilobium nummulariifolium</i>	(willow-herb)			u	
<i>Epilobium pallidiflorum</i> (tall swamp willow-herb)			u		
<i>Euchiton gymnocephala</i>		u		U	
* <i>Galium divaricatum</i>	(slender bedstraw)			u	
<i>Galium propinquum</i>		x			
<i>Geranium potentilloides</i>				x	
<i>Gunnera monoica</i>				x	
<i>Hydrocotyle elongata</i>		x			
<i>Hydrocotyle moschata</i>	(hairy pennywort)	x		x	
<i>Hydrocotyle pterocarpa</i>	(wing-fruited pennywort)		x		
* <i>Hypochoeris radicata</i>	(cat's ear)			x	
* <i>Leontodon taraxacoides</i>	(hawkbit)			x	
<i>Leptostigma setulosum</i>				x	
* <i>Linum bienne</i>	(pale flax)			x	
* <i>Lotus pedunculatus</i>	(lotus)			x	
<i>Mazus novaezeelandiae</i> ssp. <i>novaezeelandiae</i>	(dwarf mazus)	u			
<i>Myriophyllum propinquum</i>	(water milfoil)		u		
<i>Nertera depressa</i>				u	
<i>Oxalis exilis</i>	(creeping oxalis)	x		x	
* <i>Plantago lanceolata</i>	(narrow-leaved plantain)			x	

* <i>Polygonum hydropiper</i>	(water pepper)			u	
* <i>Prunella vulgaris</i>	(self-heal)			u	
<i>Ranunculus reflexus</i>	(bush buttercup)			u	
* <i>Ranunculus repens</i>	(creeping buttercup)				
<i>Ranunculus</i> sp. [unidentified; R. amphitrichus/ <i>R. glabrifolius</i>]	(waoriki)		x		
* <i>Rumex acetosella</i>	(sorrel)			u	
* <i>Trifolium repens</i>	(white clover)			x	
<i>Urtica incisa</i>	(stinging nettle)	u			
<i>Wahlenbergia ruprechtii</i>		x			
<i>Wahlenbergia violacea</i>	(harebell)			x	
<u>Ferns</u>					
<i>Adiantum cunninghamii</i>	(maidenhair)	x		u	
<i>Asplenium colensoi</i>		u			
<i>Asplenium flaccidum</i> s.s.	(hanging spleenwort)	x		U	
<i>Asplenium gracillimum</i>		x			
<i>Asplenium hookerianum</i>		x			
<i>Asplenium polyodon</i>	(sickle spleenwort)	u			
<i>Azolla filiculoides</i> ssp. <i>rubra</i>	(floating water fern) ²				
<i>Blechnum chambersii</i>		x		u	
<i>Blechnum filiforme</i>	(climbing blechnum)	u			
<i>Blechnum fluviatile</i>		x		u	
<i>Blechnum novae-zelandiae</i>	(kiokio)	u		u	
<i>Blechnum penna-marina</i>				u	
<i>Cyathea dealbata</i>	(ponga)	x		u	
<i>Dicksonia fibrosa</i>	(wheki ponga)	u		U	
<i>Dicksonia squarrosa</i>	(wheki)	uj			
<i>Diplazium australe</i>		u			
<i>Histiopteris incise</i>	(water fern)		u		
<i>Hypolepis ambigua</i>		x	x		
<i>Hypolepis distans</i>			x		
<i>Lastreopsis glabella</i>		x			
<i>Leptopteris hymenophylloides</i>		u			
<i>Microsorum (Phymatosorus) scandens</i>		x			
<i>Paesia scaberula</i>	(ring fern)		u	u	
<i>Pellaea rotundifolia</i>	(button fern)	x			
<i>Pneumatopteris pennigera</i>		u			
<i>Polystichum neozelandicum</i> ssp. <i>zerophyllum</i>		x		U	
<i>Pteridium esculentum</i>	(bracken fern)			U	
<i>Pteris tremula</i>		x			

² Seen in pool in valley floor, outside the 3 surveyed sites

- 6 -

1

2

3

Pyrrosia eleagnifolia		x				
Trichomanes venosum	(filmy bristle fern)	u				