

INDIGENOUS VASCULAR PLANTS OF PAEROA RANGE[†]

BETWEEN ROTORUA AND TAUPO, 1000-3211 FT

† Highest point: Paeroa, grid ref. N85 724 747, alt. 3211 ft

A.P. Druce, Botany Division, D.S.I.R., 1972 (revised May 1974
Aug 1974, July 1975,
(with additions by K. Haydock, Nov. 1978) June 1976, May 1977, Oct 1978
and B.D. Clarkson, 1981) May 1979, Jan 1980

(Based on visits 1955, 1978, and 1983-4) June 1980
March 1983
Aug. 1984, Nov. 1987

GYMNOSPERMS

- Dacrydium cupressinum*
- Phyllocladus glaucus*
- P. trichomanoides* s.s.
- Podocarpus hallii*
- P. totara* s.s.
- Prumnopitys ferruginea*
- P. taxifolia*

- Melicotus lanceolatus* (incl. M.l. var. *latior*)
- M. tamiflorus* ssp. *ramiflorus*
- Metrosideros robusta* June 1988
Aug 1990
- Mida salicifolia* (incl. M.s. var. *myrtifolia*)
- Myrsine australis* June 1991
July 1992
- M. salicifolia*
- Nestegis cunninghamii*
- N. sp.* (cf. *N. lanceolata* and *N. montana*)

MONOCOT TREES AND SHRUBS

- Cordyline australis*
- C. banksii*
- C. indivisa*

- Olearia rani* var. *colorata*
- Pennantia corymbosa*
- Pittosporum eugenioides*
- P. tenuifolium* ssp. *tenuifolium*
- P. t. ssp. coleusii* → ssp. *tenuifolium*
- Pseudopanax arboreus* var. *arboreus*
- P. coleusii* s.s.
- P. crassifolius*
- P. edgerleyi*
- Quintinia serrata* (incl. *Q. acutifolia* and *Q. elliptica*)
- Schefflera digitata*
- Weinmannia racemosa* var. *racemosa*

DICOT TREES

- Aristolelia serrata*
- Beilschmiedia tawa*
- Carpodetus serratus*
- Elaeocarpus dentatus* (incl. *E. d. var. ebovatus*)
- E. hookerianus*
- Fuchsia excorticata*
- Griselinia littoralis*
- Hedycarya arborea*
- Ixerba brexioides* (unc)
- Knightia excelsa*
- Litsea calicaris*

DICOT SHRUBS

- Brachyglottis repanda s.s.
- Carmichaelia sp. (subgenus Carmichaelia)
- Coprosma colensoi s.s.
- C. foetidissima
- C. grandifolia
- C. lucida s.s. (
- C. robusta
- C. tenuifolia
- C. sp. (unnamed; included in C. parviflora by Oliver, 1935, and others)
- C. propinqua X C. robusta
- Coriaria arborea
- Cyathodes juniperina agg.
- { Leucopogon fasciculatus var.
- { L. fraseri s.s.
- Dracophyllum strictum
- D. subulatum
- Gaultheria antipoda
- G. oppositifolia
- Geniostoma rupestre var. ligustrifolium
- Hebe stricta var. stricta
- Korthalsella salicornioides
- Kunzea ericoides agg.
- Leptospermum scoparium
- Neomyrtus pedunculata
- Olearia furfuracea var.
- Pimelea prostrata
- Pomaderris ericifolia
- Pseudowintera axillaris
- P. colorata
- Solanum aviculare var. aviculare
- Urtica fetox

- C. paniculata
- Metrosideros diffusa
- Muehlenbeckia australis
- Parsonsia capsulatis var.
- Rubus cissoides
- R. schmidelioides var. schmidelioides

PSILOPSIDS AND LYCOPODS

- Tmesipteris elongata (incl. T. e. ssp. robusta)
- Lycopodium cernuum
- L. deuterodensum
- L. fastigiatum
- L. scariosum
- L. varium (incl. L. billardieri & L. n. 3)
- L. volubile

FERNS

- Anarthropteris lanceolata
- Asplenium bulbiferum
- A. flaccidum
- A. gracillimum
- A. hookerianum
- A. lamprophyllum
- A. oblongifolium
- A. polyodon
- Blechnum chambersii
- B. discolor
- B. filiforme
- B. fluviatile agg.
- B. minus
- B. procerum
- B. vulcanicum
- B. sp. (unnamed) (common lowland sp.; lower pinnae reduced in length)
- Botrychium sp.

MONOCOT LIANES

- Ripogonum scandens

DICOT LIANES

- Clematis forsteri

- Cyathea cunninghamii
- C. dealbata
- C. medullaris

e. smithii
Dicksonia fibrosa
D. lanata s.s.
D. squarrosa
Dicranopteris linearis
Doodia media ssp. *australis*
Gleichenia microphylla
Grammitis billardierei
G. magellanica ssp. *nothofageti*
Histiopteris incisa
Hymenophyllum demissum
H. dilatatum
H. flabellatum
H. multifidum
H. pulcherrimum
H. ratum
H. revolutum
H. sanguinolentum ass.
H. scabrum
Hypolepis ambigua
H. dicksonioides
H. distans
H. rufobarbata
Lastreopsis glabella
L. hispida
Leptopteris hymenophylloides
L. superba
L. hymenophylloides XL. *superba*
Lindsaea trichomanoides

Ophioglossum coriaceum ass.
Paesia scaberula
Phymatosorus pustulatus
P. novae-zeelandiae

Pneumatopteris pennigera 3
Polystichum richardii
P. vestitum
Pteridium esculentum
Pyttosia oleagnifolia
Rumohra adiantiformis
Schizaea bifida
S. dichotoma
S. sp. (cf. *S. australis* and *S. fistulosa*)
Sticherus cunninghamii
Trichomanes tenuiforme
T. venosum

ORCHIDS

Calochilus robertsonii (Cheeseman 1925, as *C. campestris*)
Corybas trilobus s.s.
Dendrobium cunninghamii
Eatina autumnalis
E. mucronata s.s.
Microtis unifolia
Orthoceras novae-zeelandiae
Prasophyllum colensoi
Genoplesium nudum
P. patens (Cheeseman 1925)
Pterostylis banksii
P. foliata
P. furcata (Cheeseman 1925, as *P. micromega*)
P. patens
P. trullifolia
Thelymitra decora
T. longifolia
T. pauciflora

GRASSES

- Cortaderia fulvida
- C. toetoe
- Deyouzia avenoides (incl. D. a. var. brachyantha)
- D. sp. (D. quadrisetosa agg.)
- Dichelachne cinnata
- Hierochloa redolens
- Microlaena avenacea
- Poa cita ssp.
- P. imbecilla
- Rytidosperma clavatum
- R. gracile

SEDGES

- Baumea juncea
- B. rubiginosa
- B. tenax
- B. tetrafolia
- Carex breviculmis
- C. forsteri
- C. secta ss.
 - ← c. solandri
 - ← c. virgata
 - ← c. sp. (Sect. Acutae)
- Eleocharis gracilis
- E. sphacelata
- Gahnia setifolia
- Lepidosperma australe
- Morelotia affinis
- Schoenus tendo
- Uncinia banksii
- U. uncinata
- U. zotovii
- U. sp.

RUSHES

- Juncus gregiflorus
- Luzula picta s.s.

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES, SEDGES, RUSHES

- Astelia fragrans
- A. solandri
- CollospERMUM microspERMUM
- Dianella nigra
- Libertia ixioides
- Phormium tenax

COMPOSITE HERBS

- Anaphalis subrigida
- Celmisia gracilentata ssp
- Gnaphalium audax
- Lagenifera pumila
- Microseris scapigera var. unnamed;
- Pseudognaphalium sp. (aff. P. luteo-album) (lvs mostly linear-spathulate to linear, acute)
- Senecio minimus

DICOT HERBS (OTHER THAN COMPOSITES)

- Acaena anserinifolia
- Australina pusilla
- Cardamine sp. (C. debilis agg.) ("Long Style" of Pritchard 1957)
- Centella uniflora
- Dichondra sp.
- Drosera peltata ssp. auriculata
- Epilobium alsinoides ss.
- E. cinereum
- E. nummulariifolium

E. pubens
E. rotundifolium
Geranium ^{sp. (unnamed, aff. G.} *microphyllum*)
G. potentilloides var. *potentilloides*
G. sessiliflorum var. *novae-zelandiae*
Gonocarpus micranthus ssp.
 micranthus
Haloragis erecta ssp. *erecta*
Hydrocotyle dissecta
H. heteromeria
H. moschata
H. novae-zeelandiae s.s.
Hypericum japonicum agg.
Nertera depressa (incl. *N. cunning-*
 hamii)

Pratia angulata agg.
Ranunculus reflexus
Stackhousia minima (Choese-
 man 1925)
Stellaria decipiens (incl. *S. parvi-*
 flora)
Urtica incisa
Viola cunninghamii
Wahlenbergia rupestris

No. of species: 241.

