

(63)

INDIGENOUS VASCULAR PLANTS IN THE VICINITY OF
OPAWA BUSH†, BETWEEN LAKE TAUPO AND THE
KAIMANIWA MOUNTAINS, 1800-2200 FT.

(Based on visit 1950, before forest milled)

†Ghid ref. N103 51-09-

N103 515 095 ✓

A.P. Druce, Botany Division, D.S.I.R., 1972 (revised April 1974,

(unc - uncommon)

GYMNOSPERMS

Dactycarpus daerydioides
Dactyidium cupressinum
Phyllocladus alpinus (unc)
P. trichomanoides s.s. (unc)
Podocarpus hallii (unc)
P. totara s.s. (unc)
Prumnopitys ferruginea
P. taxifolia

Nothofagus fusca June 1975,
June 1976,
April 1977,
June 1979,
N. menziesii May 1980,
June 1985,
N. fusca x *N. solandri* (unc)
Olearia rani var. *colorata* Sept. 1987,
Pennantia corymbosa (unc) Aug. 1988,
Pittosporum eugenoides (unc) Aug. 1990,
Pittosporum tenuifolium (ssp.
colensoi → ssp. *tenuifolium*)
Pseudopanax arboreus var. *arboreus*
P. crassifolius
P. colensoi s.s. (unc)
Schefflera digitata
Sophora microphylla
Weinmannia racemosa var.
racemosa

DICOT TREES

Aristotelia serrata
Carpodetus serratus
Elaeocarpus dentatus (incl. *E. d.* var. *obovatus*) (unc)
E. hookerianus (unc)
Fuchsia excorticata
Griselinia littoralis
Knightia excelsa
Melicytus ramiflorus ssp. *ramiflorus*
Myrsine australis
M. salicina (unc)
Nestegis cunninghamii
N. lanceolata

DICOT SHRUBS

Alseuosmia pusilla
Brachyglottis repanda s.s.
Carmichaelia arborea var. (incl. *C.*
flagelliformis and *C. hookeri*)

Coptosma foetidissima

C. grandifolia

C. lucida s.s.

C. microcarpa

C. propinqua ssp. *propinqua* (incl. *C. p.*
var. *latiuscula*)

C. rhamnoides ssp. *rhamnoides* (incl. *C.*
polymorpha)

C. rigida

C. robusta

C. tenuifolia

C. sp. (unnamed; included in *C.*
parviflora by Oliver, 1935, and others)

C. propinqua X *C. robusta*

Corokia cotoneaster var. *cotoneaster*

Cyathodes sp. (*C. juniperina* agg.) (lvs
vs < 1cm X < 1mm)

{ *Leucopogon fasciculatus*

{ *L. fraseri* s.s.

Dracophyllum strictum

D. subulatum

Gaultheria antipoda

G. oppositifolia

Geniostoma rupestre var. *ligustri-*
folium

Hebe stricta var. *stricta*

Kunzea ericoides var.

Leptospermum scoparium

Melicope simplex

Muehlenbeckia axillaris

Neomyrtus pedunculata

Olearia arborescens

Pimelea prostrata

P. tomentosa (unc)

DICOT LIANES

Clematis forsteri

C. paniculata

C. quadribracteolata

Metrosideros diffusa

Muehlenbeckia australis

Parsonsia capsularis var.

Rubus cissoides var. (leaflets
narrower than in var. *cissoides*)

PSILOPSIDS AND LYCOPODS

Tmesipteris sp.

Lycopodium fastigiatum

L. varium (incl. *L. billardietai* and

L. novae-zelandicum)

L. volubile

FERNS

Adiantum cunninghamii

Asplenium bulbiferum agg.

A. flaccidum

A. hookerianum

A. polyodon

Blechnum chambersii

B. colensoi

B. discolor

B. filiforme

B. fluviatile agg.

B. penna-marina

B. procerum

B. vulcanicum

B. sp. (unnamed) (common lowland sp.;
lower pinnae reduced in length)

Botrychium sp.

Cyathea dealbata

C. smithii

Dicksonia fibrosa

D. squarrosa

Gleichenia dicarpa

Histiopteris incisa

Hymenophyllum demissum

H. dilatatum

H. multifidum

H. sanguinolentum agg.

H. scabrum

Leptolepia novae-zelandiae

Ophioglossum coriaceum agg.

Paesia scaberua

Phymatosorus diversifolius

P. novae-zelandiae

Pneumatopteris pennigera

Polystichum vestitum

Pteridium esculentum

Pyrosia eleagnifolia

Leptopteris hymenophylloides

L. superba

Sticherus cunninghamii

Tichomanes reniforme

T. venosum (Elder 1962)

ORCHIDS

Caladenia catenata

Calochilus sp. (unc)

Corybas macranthus

C. rivularis s.s.

C. trilobus s.s.

Earina autumnalis

E. mucronata s.s.

Gastrodia minor

Pterostylis banksii

Thelymitra longifolia

GRASSES

Cortaderia fulvida

Deyeuxia avenoides (incl. D. a. var. brachyantha)

Echinochloa ovatus (unc)

Festuca novae-zelandiae (unc)

Lachnagrostis sp

Microlaena avenacea

M. stipoides

Poa anceps ssp. anceps

P. cita

Rytidosperma clavatum

R. gracile

Zoysia minima

SEDGES

Baumea tubiginosa

Carex breviculmis

C. colensoi

C. dipsacea var. (C. taheata)

C. echinata var. (C. echinata var. australis)

C. forsteri

C. maorica

C. secta s.s.

C. testacea s.s.

C. sp. (Sect. Acutae)

Eleocharis acuta

E. gracilis

E. sphacelata

Isolapis subtilissima
Lepidosperma australe
Morelotia affinis
Schoenus maschallius

Uncinia ferruginea
U. scabra
U. uncinata
U. zotovii

RUSHES

Juncus gregiflorus

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES, SEDGES, RUSHES

Astelia fragrans
A. solandri
Collospetrum microspernum (recorded
as *C. hastatum* by Elder, 1962)
Dianella nigra
Herpotion novae-zelandiae
Potamogeton suboblongus

COMPOSITE HERBS

Celmisia gracilentata var.

Craspedia minor var. *minor* (incl. *C. major*)

Gnaphalium audax

G. limosum s.s.

Anaphalis ketiensis

A. subrigida

Lagenifera pumila

Microseris scapigera

Pseudognaphalium sp. (aff. *P. luteoalbum*)
^{unnamed}

Raoulia albosericea

R. sp. (unnamed; aff. *R. australis*)

Senecio wairauensis s.s.

Vittadinia australis agg.

DICOT HERBS (OTHER THAN COMPOSITES)

Acaena anserini folia

A. microphylla s.s.

Cardamine sp. (*C. debilis* agg.)

Centella uniflora

Epilobium atriplicifolium s.s.

E. hectorii

E. pallidiflorum

E. tenuipes s.s.

Geranium potentilloides var. *potentilloides*

G. sessiliflorum var. *novae-zelandiae*

Gunnera dentata var. *dentata*

Gonocarpus aggregatus

G. micranthus ssp. *micranthus*

Hydrocotyle elongata

H. sp. (unnamed; included in *H. novae-zeelandiae*, as var. *montana*, by Kirk 1899)

Hypericum japonicum

Myosotis sp. (cf. *M. forsteri*)

Nertera sp. (i) (unnamed; aff. *N. dichondrifolia*)

N. sp. (ii)

Ourisia macrophylla ssp. *robusta*

Pratia angulata agg.

Ranunculus reflexus

R. sp. (cf. R. glabrifolius and R. amphitrichus)

Scleranthus sp.

Stackhousia minima

Viola cunninghamii

Wahlenbergia colensoi

(No. of species: 204)

REFERENCE

Elder, N.L. 1962: Vegetation of the Kaimaniwa ranges. Trans. Roy. Soc. N.Z. Bot. 2: 1-37 (pp. 16, 17, 34, 35).

