

INDIGENOUS VASCULAR PLANTS IN VICINITY OF MT REWA<sup>1</sup> AND  
MT MEREDITH<sup>2</sup>, EASTERN WAIRARAPA,  
700-1900 FT

<sup>1</sup>Grid ref. N 162 443498; alt. 1898 ft ✓  
<sup>2</sup>Grid ref. N 163 460507; alt. 1760 ft

A.P. Druce, Botany Division, D.S.I.R., 1973 (revised April 1974  
(Based on visits 1947, 1972, 1973, 1975, 1976, 1983) ✓

Aug. 1974  
June 1975 Apr. 1977  
Aug. 1975 May 1977  
June 1976 June 1979  
May 1980  
Oct 1982  
May 1983  
June 1988  
Aug. 1990  
July 1991

GYMNOSPERMS

- Dactyloctenium aegyptium
- Dactyloctenium cupressinum
- Podocarpus hallii
- P. totara s.s.
- Prumnopitys ferruginea
- P. taxifolia

- Metrosideros robusta
- Mida salicifolia (incl. M.s. var. myrtifolia)
- Myoporum laetum var. laetum
- Myrsine australis
- M. salicina

- Nestegis cunninghamii
- N. lanceolata
- N. montana
- Nothofagus solandri var. solandri
- N. truncata

- N. solandri x N. truncata
- Olearia paniculata
- O. tani var. colorata
- Pittosporum eugenioides

MONOCOT TREES AND SHRUBS

- Cordyline australis
- C. banksii
- C. australis x C. banksii
- Rhopalostylis sapida

- P. tenuifolium ssp. tenuifolium
- Pseudopanax arboreus var. arboreus
- P. crassifolius
- Schefflera digitata
- Weinmannia racemosa var. racemosa

DICOT TREES

- Aristotelia serrata
- Beilschmiedia tawa
- Carpodetus serratus
- Elaeocarpus dentatus (incl. E.d. var. obovatus)
- E. hookerianus
- Fuchsia excoarticata
- Ghieselinia littoralis
- G. lucida
- Hedycarya arborea
- Knightia excelsa
- Macropiper excelsum var. excelsum
- Meliclytus ramiflorus ssp. ramiflorus

DICOT SHRUBS

- Brachyglottis repanda s.s.
- Cassinia leptophylla var. leptophylla

*Coprosma atrolata*

*C. crassifolia*

*C. grandifolia*

*C. linariifolia*

*C. lucida* s.s.

*C. microcarpa*

*C. propinqua* ssp. *propinqua* (incl. *C. p.*  
var. *latiuscula*)

*C. rhamnoides* (incl. *C. polymorpha*)

*C. robusta*

*C. propinqua* x *C. robusta*

*Coriaria arborea*

*Cyathodes* sp. (*C. juniperina* agg.) (lvs  
small, vs.  $< 1\text{ cm} \times < 1\text{ mm}$ )

*Leucopogon fasciculatus* var.

*L. fraseri* s.s.

*Gaultheria antipoda*

*G. a.* x *G. rupestris*

*Ganiostoma rupestre* var. *ligustri-*  
*folium*

*Hebe stricta* var. *atkinsonii*

*Helictysum aggregatum* var. *aggreg-*  
*atum*

*Kunzea ericoides* agg.

*Leptospermum scoparium* var.

*Olea arborea*

*O. virgata* var. *virgata* (incl. *O. v.* var.  
*ramuliflora*)

*Pittosporum divaricatum*

*Pomaderris ericifolia*

*Pseudopanax ancinetos*

*Pseudowintera axillaris*

*P. colorata*

*Solanum aviculare* var. *aviculare*

### MONOCOT LIANES

*Freycinata bavariiana* ssp. *banksii*

*Ripogonum scandens*

### DICOT LIANES

*Clematis forsteri*

*C. paniculata*

*Metrosideros colensoi* (incl. *M. c.* var. *pendens*)

*M. diffusa*

*M. perforata*

*Paersonia heterophylla*

*Rubus cissoides* var. *cissoides*

### PSILOPSIDS AND LYCOPODS

*Tmesipteris elongata* (incl. *T. e.* esp.  
*robusta*)

*T. tannensis*

*Lycopodium varium* (incl. *L. billard-*  
*ierei* and *L. novae-zelandicum*)

*L. valubile*

### FERNS

*Adiantum cunninghamii*

*Asplenium bulbiferum*

*A. flaccidum*

*A. gracillimum*

*A. hockerianum*

*A. oblongifolium*

*A. polyodon*

*Blechnum chambersii*

*B. discolor*

*B. fluvioatile* agg.

*B. procerum*

*B. sp.* (unnamed) (common lowland sp.;  
lower pinnae reduced in length)

*Ctenopteris heterophylla*

*Cyathea dealbata*

*C. medullaris*

*C. smithii*

*Dicksonia squarrosa*

*Grammitis billardierei*

*G. ciliata*

*Histiopteris incisa*

Hymenophyllum bivalve

H. cupressiforme

H. demissum

H. flabellatum

H. multifidum

H. scabrum

H. sanguinolentum agg.

H. scabrum

Hypolepis ambigua

H. lactea

H. rufobarbata

Lastreopsis glabella

L. velutina

Leptopteris hymenophylloides

Paesia scaberula

Pellaea rotundifolia

Phymatosorus postulatus

Pneumatopteris pennigera

Polystichum richardii

P. vestitum

Pteridium esculentum

Pteris pandula

P. tremula

Pyrosia eleagnifolia

Rumohra adiantiformis

Trichomanes reniforme

T. venosum

#### ORCHIDS

Acianthus sinclairii

Corybas trilobus s.s.

Cyrtostylis reniformis s.s.

Dendrobium cunninghamii

Drymoanthus adversus

Eatonia autumnalis

E. mucronata s.s.

Gastrodia cunninghamii

Microtis unifolia

Orthoceras novae-zeelandiae

Pterostylis alobula

Thalymitra hatchii

T. longifolia

#### GRASSES

Cottaderia fulvida

Deyeuxia avenoides (incl. D. a. var. avenoides)

Echinopogon ovatus

Dichelachne crinita

Microlaena avenacea

Poa anceps ssp. anceps

Rytidosperma clavatum

R. gracile

Trisetum sp. (unnamed; aff. T. antarcticum)

#### SEDGES

Carex dissita s.s.

C. geminata s.s.

Gahnia pauciflora

G. setifolia

Moreletia affinis

Schoenus apogon (incl. S. a. var. caespitosus)

Uncinia banksii

U. scabra

U. uncinata

U. sp. (aff. U. rupestris)

#### RUSHES

Juncus australis

J. graciflorus

J. pallidus

J. planifolius

J. sarophorus

Luzula picta s.s.

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES, SEDGES, RUSHES

- Astelia fragrans
- A. solandri
- Collospermum hastatum
- Dianella nigra
- Libertia ixioides
- Phormium cookianum

- Haloragis erecta ssp. erecta
- Hydrocotyle moschata
- Nertera depressa (incl. N. cunninghamii)
- Oreomyrthis sp. (unnamed; aff. O. tamosa)
- Ranunculus reflexus
- Stellaria decipiens (incl. S. parviflora)

COMPOSITE HERBS

- Brachyscome radicata
- Craspedia uniflora var. grandis
- Gnaphalium audax
- G. gymnocephalum
- G. involucreatum
- Helichrysum filicaule
- Lagenifera pumila
- L. stragulata
- Pseudognaphalium sp. (unnamed; aff. P. luteoalbum) (= Gnaphalium luteoalbum var. incanum)
- Raoulia glabra
- Senecio hispidulus
- S. minimus
- S. quadridentatus
- Vitadinia australis agg.

No. of species: 204.

DICOT HERBS (OTHER THAN COMPOSITES)

- Cardamine sp. (C. debilis agg.)  
("Narrow Petal" of Pritchard 1957)
- Cantella uniflora
- Dichondra repens agg. / Diosera peltata ssp. auriculata
- Epilobium alsinoides s.s.
- E. nummularifolium
- E. rotundifolium
- Euphrasia cuneata
- Galium propinquum
- Geranium sp. (unnamed; aff. G. microphyllum)
- G. potentilloides var. potentilloides
- Gonocarpus montanus
- G. micranthus ssp. micranthus