

INDIGENOUS VASCULAR PLANTS IN TANGARAKAU GORGE,<sup>†</sup>  
STRATFORD-OHURA ROAD, N. TARANAKI

† Highest point: Pukemito, 1685 ft;

grid ref. N100 401011 ✓

(Based on visit 1972)

(Additions by M.A. Bayfield, M. Benson, D. Kelly, September 1983) ✓

A.P. Druce, Botany Division, D.S.I.R., October 1972

(revised April 1974

" June 1976

March 1979

June 1979

March 1980

April 1982

Oct. 1983

Aug. 1990)

GYMNOSPERMS

*Dacrycarpus dactydioides*

*Dactyidium cupressinum*

*Phyllocladus trichomanoides* s.s.

*Podocarpus hallii*

*Prumnopitys ferruginea*

*P. taxifolia*

*Metrosideros robusta*

*Myrsine australis*

*Nestegis cunninghamii*

*N. lanceolata*

*N. montana*

*Nothofagus solandri* var. *solandri*

*N. truncata*

*N. solandri* x *N. truncata*

*Olearia tani* var. *colorata*

*Pennantia corymbosa*

*Pseudopanax arboreus* var. *arboreus*

*P. crassifolius*

*P. laetus*

*Quintinia serrata* (incl.

*Q. acutifolia* and *Q. elliptica*)

*Schefflera digitata*

*Strelitzia heterophyllus*

*Weinmannia racemosa* var.

*racemosa*

MONOCOT TREES AND SHRUBS

*Cordyline banksii*

DICOT TREES

*Alectryon excelsus* var. *excelsus*

*Aristotelia serrata*

*Beilschmiedia tawa*

*Carpodetus serratus*

*Elaeocarpus dentatus* (incl. *E. d.* var. *obovatus*)

*Fuchsia excorticata*

*Citiselinia littoralis*

*G. lucida*

*Hedycahya arborea*

*Hoheria populnea* var. *lanceolata*

*Knightsia excelsa*

*Laurelia novae-zelandiae*

*Melicactus lanceolatus* (incl. *M. l.* var. *laticus*)

*M. ramiflorus* ssp. *ramiflorus*

DICOT SHRUBS

*Alseuosmia macrophylla*

*Brachyglottis repanda* s.s.

*Carmichaelia arborea* var.

*Coprosma areolata*

*C. grandifolia*

*C. lucida* s.s.

*C. robusta*

*C. rotundifolia*

*Cotiania arborea* var. *arborea*

*Cyathodes juniperina* var.

*Dracophyllum strictum*

Gaultheria antipoda

G. oppositifolia

G. paniculata

Geniostoma rupestre var. ligustrifolium

Hebe macrocarpa var. (H. cotti-ganii)

H. stricta var. stricta

Helichrysum aggregatum var. aggr.

Leptospermum scoparium var.

Leucopogon fasciculatus

Pittosporum cornifolium

Pseudowintera axillaris

Rhabdanthus solandri

Urtica ferox

**MONOCOT LIANES**

Freycinetia bauertiana ssp. banksii

Ripogonum scandens

**DICOT LIANES**

Calystegia tugatorum

Clematis forsteri

C. paniculata

C. sp. (C. foetida?)

Metrosideros colensoi (incl. M. c. var. pendens)

M. diffusa

M. fulgens

M. perforata

Muehlenbeckia australis

Parsonsia capsulatis var.

Passiflora tetrandra

Rubus cissoides var. cissoides

R. schmidelioides var. schmidelioides

L. volubile

**FERNS**

Adiantum cunninghamii

Anarthopteris lanceolata

Asplenium bulbiferum

A. flaccidum

A. oblongifolium

A. polyodon

Blechnum chambersii

B. colensoi

B. discolor

B. filiforme

B. fluviatile agg.

B. sp. (unnamed) (common lowland sp; lower pinnae reduced in length)

Ctenopteris heterophylla

Cyathia dealbata

C. medullaris

C. smithii

Dicksonia fibrosa

D. squarrosa

Grammitis billardieri

G. ciliata

Histiopteris incisa

Hymenophyllum demissum

H. dilatatum

H. ferrugineum

H. flabellatum

H. flexuosum

H. multifidum

H. lyallii

H. rarum

H. revolutum

H. sanguinolentum agg.

H. scabrum

Hypolepis distans

**PSILOPSIDS AND LYCOPODES**

Tmesipteris tanniansis

Lycopodium scariosum

L. varium (incl. L. billardieri and L. novae-zelandicum)

- Lastreopsis hispida
- Leptopteris hymenophylloides
- Lindsaea trichomanoides
- Paesia scaberula
- Phymatosorus pustulatus
- P. scandens
- Pneumatopteris pennigera
- Polystichum richardii
- Pteridium esculentum
- Pteris pendula
- Pyttosia eleagnifolius
- Rumohra adiantiformis.
- Sticherus cunninghamii
- Trichomanes reniforme
- T. venosum

**ORCHIDS**

- Chiloglottis cornuta
- Corybas acuminatus
- C. macranthus
- C. rivularis
- C. trilobus s.s.
- Dendrobium cunninghamii
- Eatina autumnalis
- E. mucronata s.s.
- Pterostylis sp. (P. granulata?)
- Thelymitra sp.

**GRASSES**

- Cortaderia fulvida
- Microlaena avenacea
- Poa anceps ssp. anceps
- Rytidosperma gracile

**SEDGES**

- Carex sp. (cf. C. geminata)
- Gahnia pauciflora
- G. setifolia
- Machaerina sinclairii
- Schoenus tendo
- Uncinia uncinata
- U. zotovii
- U. sp.

**RUSHES**

- Juncus gregiflorus
- Luzula sp.

**MONOCOT HERBS (OTHER THAN ORCHIDS)**

**GRASSES, SEDGES, RUSHES**

- Astelia solandri
- Collospermum hastatum
- C. microspermum
- Dianella nigra
- Libertia ixioides
- Phormium cookianum
- Typha orientalis

**COMPOSITE HERBS**

- Anaphalis kariensis s.s.
- Gnaphalium audax
- G. gymnocephalum
- Pseudognaphalium sp. (aff. P. luteoalbum)
- Senecio minimus
- Stufiglandulosus var.
- S. turneri

**DICOT HERBS (OTHER THAN COMPOSITES)**

- Acaena anseriniifolia
- Cardamine sp. (C. debilis agg.)
- ("Narrow Petal" of Pritchard, 1957)
- Centella uniflora
- Elatostema rugosum
- Epilobium rotundifolium
- Gunnata monoica
- Hydrocotyle dissecta
- H. meschata
- Nertera depressa (incl. N. cunninghamii)
- Oursia macrophylla ssp. robusta
- Pratia angulata agg.
- Ranunculus reflexus
- Stellaria decipiens (incl. S. parviflora)

[Urtica incisa]

No. of species: 182.

