

1300-4150 FT.

† Grid ref. N145 512695

A.P. Druce, Botany Division, D.S.I.R., July 1975

(revised July 1976

May 1977

June 1979

May 1980

July 1985, Jan 1990,

Sept. 1990)

(Based on visits 1941 and 1966)

GYMNOSPERM TREES*Dacrycarpus dactyloides**Dactyidium cupressinum**Libocedrus bidwillii**Podocarpus hallii**P. totara* s.s.*Prumnopitys ferruginea**P. taxifolia**Knightia excelsa**Lophomyrtus bullata**Macropiper excelsum* var. *excelsum**Melicytus lanceolatus* (incl. *M.l.*  
var. *latior*)*M. ramiflorus* ssp. *ramiflorus**Metrosideros robusta**Myrsine australis**M. salicina**Nestegis cunninghamii**N. lanceolatus**Nothofagus fusca**Oleaia tani* var. *colorata*MONOCOT TREES*Cordyline banksii**C. indivisa*DICOT TREES*Aristotelia serrata**Beilschmiedia tawa**Carpodetus serratus**Elaeocarpus dentatus* (incl. *E.d.* var.  
*obovatus*)*E. heckerianus**Fuchsia excorticata**Grisebinia littoralis**Hedyotis arborea**Hoheria populnea* var. *lanceolata**Pannantia corymbosa**Ptilosporum auguieroides**Pseudopanax arboreus* var. *arboreus**P. colensoi* s.s.*P. crassifolius**P. edgerleyi**P. simplex* (incl. *P.s.* var. *sinclairii*)*Schefflera digitata**Streblus heterophyllus**Weinmannia racemosa* var. *racem.*

DICOT SHRUBS

- Aristotelia fruticosa* var. *suberecta*
- Brachyglottis kirkii* s.s.
- B. repanda* s.s.
- B. rotundifolia* var. (*B. dacagnifolia*)
- Coprosma depressa*
- C. foetidissima*
- C. grandifolia*
- C. lucida* s.s.
- C. perpusilla* ssp. *perpusilla*
- C. pseudocuneata* ssp. *pseudocuneata*
- C. robusta*
- C. tenuifolia*
- C. sp. (i)* (unnamed; included in *C. parviflora* by Oliver, 1935, and others) (If undersurface not covered in minute hairs as is usual in *C. parviflora*; drupes us. unpigmented, occ. purplish red)
- C. sp. (ii)* (*C. parviflora* var. *dumosa* Allan 1961, non *C. p.* var. *dumosa* Cheeseman)
- Cotia arborea*
- C. plumosa*
- C. pteridoides*
- Draconophyllum longifolium* var. (*cf. var. septentrionale*)
- D.l. x D. recutivum*
- Gaulltheria antipoda*
- G. rupestris* (incl. *G. subcorymbosa*)
- G. sp.* (unnamed; included in *G. depressa*, as var. *nicolae-zelandiae*, by Franklin 1962)
- G. rupestris x G. sp.* (unnamed)
- Geniostoma rupestre* var. *ligustri-folium*
- H. stricta* var.

- H. subalpina* var. (*H. truncatula*) 2
- Myrsine divaricata* s.s.
- M. nummulata*
- Neomyrtus pedunculata*
- Olea arborea*
- O. colensoi* var. *colensoi*
- O. ilicifolia*
- O. arborescens x O. ilicifolia*
- Peritachoudra pumila*
- Pinalea buxifolia*
- Pittosporum cernifolium*
- P. rigidum* var. *rigidum*
- Pseudopanax anomalus*
- Pseudowintera axillaris*
- P. colorata*
- Urtica ferox*

MCNOCOT LIANES

- Freycinetia baueriana* ssp. *banksii*
- Ripogonum scandens*

DICOT LIANES

- Clematis paniculata*
- Metrosideros colensoi* (incl. *M. c.* var. *pauciflora*)
- M. diffusa*
- M. perforata*
- Muehlenbeckia australis*
- Parsonsia capsularis* var.
- Rubus cissoides* var. *cissoides*

**LYCOPODS**

*Lycopodium fastigiatum*  
*L. scariosum*  
*L. varium* (incl. *L. billardierei* and *L. novae-zelandicum*)  
*L. volubile*

**FERNS**

*Adiantum cunninghamii*  
*Asplenium bulbiferum*  
*A. flaccidum*  
*A. hookerianum*  
*A. oblongifolium*  
*A. polyodon*  
  
*A. bulbiferum* X *A. flaccidum*  
*Blechnum chambersii*  
*B. colensoi*  
*B. discolor*  
*B. filiforme*  
*B. fluviatile* agg.  
*B. nigrum*  
*B. penna-marina*  
*B. procerum*  
*B. sp.* (common lowland sp.;  
 lower pinnae reduced in length)  
  
*Ctenopteris heterophylla*  
*Cyathea colensoi*  
*C. dealbata*  
*C. medullaris*  
*C. smithii*

*Dicksonia squarrosa*

*Grammitis poeppigiana*  
*G. sp.* or spp.

*Histiopteris incisa*

*Hymenophyllum bivalve*

*H. demissum*

*H. dilatatum*

*H. flabellatum*

*H. multifidum*

*H. peltatum*

*H. pulcherrimum*

*H. rarum*

*H. revolutum*

*H. sanguinolentum* agg.

*H. scabrum*

*Hypolepis ambigua*

*H. rufobarbata*

*Lastreopsis glabella*

*L. hispida*

*L. velutina*

*Leptolepia novae-zelandiae*

*Lindsaea trichomanoides*

*Leptopteris hymenophylloides*

*L. superba*

*Paesia scaberula*

*Phymatosorus diversifolius*

*Pneumatopteris pennigera*

*Polystichum richardii*

*P. vestitum*

- Pteridium esculentum*
- Pyrrhosia cleagnifolia*
- Rumohra adiantiformis*
- Trichomanes endlicherianum*
- T. teniforme*
- T. venosum*

**SEDGES**

- Carex dissita* s.s.
- C. forsteri*
- C. secta* s.s.
- Gahnia pauciflora*
- G. procera*
- G. setifolia*
- Isolepis habra*
- I. sp.*
- Uncinia banksii*
- U. caespitosa*
- U. clavata*
- U. filiformis*
- U. fuscovaginata* var. *fuscovaginata*
- U. scabra*
- U. silvestris* (incl. *U. affinis*)
- U. uncinata*
- U. zotovii*

**ORCHIDS**

- Chiloglottis cornuta*
- Corybas trilobus* s.s.
- Dendrobium cunninghamii*
- Eatina autumnalis*
- E. mucronata* s.s.
- Microtis unifolia*
- Pterostylis australis*
- P. vanessa*
- Thelymitra longifolia*

**GRASSES**

- Chionocchoa conspicua* ssp. *cunninghamii*
- C. pallens* var. (lvs broader than in var. *pallens*)

**RUSHES**

- Luzula migrata*
- L. picta* s.s.
- L. sp.* (unnamed; included in *L. picta*, as var. *limiosa*, by Edgar 1966)
- L. migrata* X *L. picta* s.s.

- Cottadaria fulvida*
- Deyeuxia aucklandica*
- Hierochloa radclensis*
- Lachnagrostis* sp. (unnamed; included in *L. filiformis*, as var. *semiglabra*, by Zolcu 1965)
- Microlaena avenacea*

- Poa breviglumis*
- Trisetum* sp. (unnamed; aff. *T. antarcticum*) (If sheaths distinctly hairy)

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES, SEDGES, RUSHES

- Astelia fragrans
- A. sp. (unnamed; aff. A. nervosa) (lvs not conspicuously white adaxially as in A. nervosa)
- Colospetum microsporum
- Libertia pulchella
- Lixioides
- Luzuriaga parviflora
- Phormium cookianum

- Senecio minimus
- S. rufiglandulosus var. rufiglandulosus

DICOT HERBS (OTHER THAN COMPOSITES)

- Acaena ansetinifolia
- Anisotome aromatica
- Cardamine sp. (i) (C. debilis agg.) ("Long Style" of Pritchard 1957)
- C. sp. (ii) (C. debilis agg.) (fls apetalous)

COMPOSITE HERBS

- Anaphalis keriensis s.s.
- A. sp. (i) (Helichrysum bellidioides s.s.)
- A. sp. (ii) (unnamed) ("H. alpinum" of Cockayne 1928) (lvs and capitula larger than in H. bellidioides)
- Eraspedia minor var. minor (incl. C. major)
- Gnaphalium limosum s.s.
- G. ruahnicum
- G. sphaericum
- Helichrysum filicaule
- Pseudognaphalium sp. (unnamed; aff. luteoalbum) (lvs mostly linear-spathulate to linear, acute) (= Gnaphalium luteoalbum var. incanum)
- Raculia glabra
- R. tenuicaulis (incl. R. t. var. dimorpha and R. t. var. pusilla)

- Epilobium alsinoides s.s.
- E. brunescens s.s.
- E. chlorifolium
- E. cockayneanum
- E. glabellum s.s.
- E. linnaeoides
- E. nummularifolium
- E. rotundifolium
- Euphrasia cuneata
- Gentiana sp. (unnamed; aff. G. ghisbaldii)
- Geranium microphyllum
- Geum sp. (G. parviflorum agg.) (stock short terminal leaflet about as long as broad fls upto 13mm diam.)
- Gunneta monoica

Hydrocotyle elongata

H. heteromeria

H. meschiata

Myosotis venosa

M. sp. (cf. M. forsteri)

Nertera depressa (incl. N. cunninghamii)

N. setulosa

Oreomyza coleusii s.s. (incl. O.c. var.

hispida and O.c. var. multifida)

Oxysia lactea ssp. ducei

Oxalis magellanica agg.

Pratia angulata agg.

Ranunculus membranifolius

R. reflexus

Schizilema allanii

S. trifoliolatum

Stellaria decipiens (incl. S. parviflora)

Urtica incisa

Viola filicaulis

No. of species: 238.