

INDIGENOUS VASCULAR PLANTS OF LITTLES CLEARING†, BLACK BIRCH

RANGE, KAWEKA RANGE

(†including margins)

Grid-ref. N123 88-65; alt. c. 3600 ft

A.P. Druce, Botany Division, D.S.I.R., July 1975 (revised June 1976)

(Additions by S. Beadel 1989)

(Based on visits 1959, 1980, 1989)

(unc) - uncommon

May 1977, Oct 1977
June 1979
May 1980
July 1985
June 1990
July 1992

GYMNOSPERM TREES

Phyllocladus alpinus s.s.

Cyathodes empetrifolia

Dracophyllum recurvum

D. subulatum

D. recurvum X *D. subulatum*

DICOT TREES

Nothofagus solandri var. *cliffortioides*

Epactis alpina

Gaultheria colensoi (unc)

G. sp. (unnamed; included in *G.*

depressa, as var. *novaezealandiae*, by Franklin 1962)

DICOT SHRUBS†

Brachyglottis bidwillii var. *bidwillii* (unc)

Hebe odora s.s. (unc)

Cassinia vauvilliersii

H. tetragona var. *tetragona* (unc)

Coprosma sp. (i) (unnamed; included in *C. parviflora* by Oliver, 1935, and others) (lf undersurface not minutely hairy as is usual in *C. parviflora*;

H. venustula (incl. *H. brachysiphon*) (unc)

stipes vs. unpigmented, occ. purplish red)

Leptospermum scoparium

Leucopogon fraseri s.s.

Myrsine divaricata s.s.

Myrsine divaricata s.s.

C. sp. (ii) (unnamed; aff. *C. cheesemanii*) (vs broader than in *C. cheesemanii*)

Olearia nummularifolia var.

nummularifolia (unc)

Pinalea prostrata (unc)

LYCOPODS

C. cheesemanii s.s.

Lycopodium fastigiatum

C. perpusilla ssp. *perpusilla*

L. scarosum

FERNS

Blechnum penna-marina
Gleichenia dicarpa
Hymenophyllum multifidum
Sticherus cunninghamii

ORCHIDS

Aporostylis bifolia
Prasophyllum colensoi
Thelymitra cyanea

GRASSES

Chionochloa rubra ssp. *rubra*
C. pallens x *C. rubra* (unc)
Cortaderia fulvida (unc)
Deyeuxia avenoides (incl. D.a. var. *brachyantha*)
Hierochloa redolens
Lachnagrostis sp. (unnamed) (tall slender plant with narrow lvs)
Poa anceps ssp. *anceps*
P. cita ssp. (unc)
P. colensoi
Rytidosperma gracile
R. setifolium

SEDGES

Carex breviculmis (unc)
C. coriacea
C. dissita s.s.
↑ *C. echinata* var. (*C. stellulata* var. *australis*)
- *C. dipsacea* var. (*C. tahoata*) (unc)

Carpha alpina s.s.

Eleocharis acuta

E. gracilis

↑ *Oreobolus pectinatus*

Schoenus pauciflorus s.s.

S. sp. (unnamed; aff. *S. pauciflorus*)
("robust form" of Edgar 1970, p. 194)

↑ *Isolopis subtilissima* (unc)

Uncinia rubra

U. sp. (unnamed; aff. *U. nervosa*) (more slender than *U. nervosa*; see Edgar 1970, p. 231)

RUSHES

Juncus gregiflorus

J. novae-zelandiae

J. planifolius

Luzula migrata

MONOCOT HERBS (OTHER THAN ORCHIDS)

GRASSES SEDGES RUSHES

Empodisma minus

Harpochloa novae-zelandiae

Potamogeton suboblongus (unc)

COMPOSITE HERBS

(*Anaphalis* spp. - see p. 3)

Celmisia glandulosa ssp. *glandulosa*
(incl. *C. g.* var. *latifolia*)

C. gracilentata ssp

C. incana (incl. *C. discolor*)

C. spectabilis ssp. *spectabilis*

C. sp. (unnamed; aff. *C. gracilentata*)
(plants strongly rhizomatous)

C. gracilentata X *C. spectabilis* (unc)
Craspedia sp. (unnamed) (summer-
green bog plants; glomerules 1.0-1.5
cm diam.)

Gnaphalium limosum s.s.

Helichrysum filicaule

Lagenifera pumila

Microsetis scapigera var.

Nettara ciliata

Oreomyrrhis sp. (unnamed; aff. *O. ramosa*)

Pratia angulata agg.

Ranunculus reflexus

R. sp. (cf. *R. glabrifolius*) (unc)

Viola cunninghamii

V. filicaulis

Wahlenbergia albomarginata var.

Pygmaea

No. of species: 95.

DICOT HERBS (OTHER THAN COMPOSITES)

Aciphylla colensoi var. *colensoi* (unc)

Anisotome aromatica

Centella uniflora

Epilobium cockayneanum (unc)

E. tenuipes s.s. (unc)

Euphrasia cuneata

Gentiana bellidifolia var. *bellidif.* (unc)

Geranium microphyllum

G. potentilloides var. *potentilloides*
(unc)

Gonocarpus aggregatus

G. micranthus ssp. *micranthus*

Hydrocotyle sp. (unnamed; included
in *H. novae-zeelandiae*, as var.
montana, by Kirk (1899) var.

Hypericum japonicum agg.

Inset on p. 2.

Anaphalis sp. (i) (*Helichrysum*
bellidioides s.s.)

A. sp. (ii) (unnamed) (lvs and
capitula larger than in *A.* sp. (a))
("Helichrysum alpinum" of
Cockayne 1928)

