

INDIGENOUS VASCULAR PLANTS IN THE VICINITY OF  
MT HAAS<sup>†</sup>, VICTORIA RA, 2000-5206 FT.

<sup>†</sup> Grid ref. S46 523046

A.P. Druce, Botany Division, D.S.I.R., June 1978 (revised  
(Based on observations Jan 1978) July 1978, Jan 1979,  
(Additions by H.D. Wilson Oct. 1984) June 1979  
May 1980  
May 1982  
June 1984  
May 1985  
Nov. 1990

GYMNOSPERM TREES AND SHRUBS

- Halocarpus biformis*
- Libocedrus bidwillii*
- Phyllocladus alpinus* agg.
- Podocarpus acutifolius*
- P. hallii*
- P. nivalis*

- P. linearis*
- P. simplex* (incl. *P. s.* var. *Sinclairii*)
- P. sp.* (unnamed; included in *P. colensoi*, as var. *ternatus*, and as var. *fiordensis*, by Wardle 1968)

DICOT SHRUBS

July 1991

MONOCOT TREES

- Cordyline indivisa*

DICOT TREES

- Aristotelia serrata*
- Dracophyllum traversii* (incl. *D. pyramidale*)
- Elaeocarpus hookerianus*
- Fuchsia excorticata*
- Griselinia littoralis*
- Hoheria lyallii* var. (*H. glabrata*)
- Nothofagus fusca*
- N. menziesii*
- N. solandri* var. *cliffortioides*
- N. fusca* x *N. solandri*
- Pseudopanax crassifolius*

- Archeria traversii* (incl. *A. t.* var. *austriale*)
- Aristotelia fruticosa* var. (July 1992)
- Brachyglottis bidwillii* var. *viridis*
- B. rotundifolia* var. (incl. *B. buechananii* and *B. cockaynei*)
- B. bidwillii* x *B. rotundifolia*
- Coprosma cheesemanii* ss.
- C. ciliata* ssp. *ciliata*
- C. colensoi* ss.
- C. crenulata*
- C. depressa*
- C. foetidissima*
- C. propinqua* ssp. *propinqua*
- C. pseudocuneata* ssp.
- C. perpusilla* ssp. *perpusilla*
- C. rhamnoides* (incl. *C. polymorpha*)
- C. serrulata*

*C. sp. (i)* (unnamed; included in *C. parviflora* by Oliver, 1935, and others)

*C. sp. (ii)* (unnamed; aff. *C. pseudocuneata*) (low-growing shrub with small, thick, arcuate lvs)

*C. sp. (iii)* (unnamed) (*C. parviflora* var. *dumosa* Allan 1961, non *C. p.* var. *dumosa* Cheeseman)

*Cyathodes dealbata* (incl. *C. pumila*)

*C. empetrifolia*

*Dracophyllum longifolium* var. (incl. *D. filifolium* and *D. oliveri*)

*D. palustre*

*D. prunum*

*D. uniflorum*

*Gaultheria crassa*

*G. depressa* s.s.

*G. sp.* (unnamed; included in *G. depressa*, *Traversia bacchatoides* as var. *novae-zealandiae*, by Franklin 1962)

*G. macrostigma*

*G. m.* x *G. sp.* (unnamed)

*Hebe canterburyensis*

*H. ciliolata*

*H. lycopodioides*

*H. mactrantha* var.

*H. paucitamosa* s.s.

*H. salicifolia* var. *salicifolia*

*H. topiaria*

*H. sp. (i)* (cf. *H. brockieii* or *H. treadwellii*)

*H. sp. (ii)* (*H. odora* agg.)

*Meliccytus alpinus* s.s.

*Myrsine divaricata* s.s.

*M. nummularia*

*Neomyrtus pedunculata*

*Olearia colensoi* var. *colensoi*

*O. ilicifolia*

*O. lacunosa* var. *lacunosa*

*Pentachondra pumila*

*Pittosporum rigidum* var. (*P. crassicaule*)

*Pseudopanax anomalus*

*Pseudowintera colorata*

## DICOT LIANES AND RELATED TRAILING PLANTS

*Muehlenbeckia axillaris*

*Rubus schmidelioides* var. *schmidelioides*

**LYCOPODS**

- Lycopodium australianum*
- L. fastigiatum*
- L. scariosum*
- L. varium* (incl. *L. billardierei* and  
*L. novae-zealandicum*)

**FERNS**

- Asplenium flaccidum*
- Blechnum discolor*
- B. fluviatile* agg.
- B. penna-marina*
- B. procerum*
- B. sp.* (unnamed) (mountain sp.;  
lower pinnae not reduced in length)
- Cyathea colensoi*
- Grammitis billardierei*
- G. givenii*
- G. magellanica* ssp. *nothofagati*
- G. poeppigiana*
- Histiopteris incisca*
- Hymenophyllum demissum*
- H. flabellatum*
- H. malingii*
- H. multifidum*
- H. pulcherrimum*
- H. latum*
- H. rufescens*
- H. villosum*
- Hypolepis millefolium*
- Leptopteris superba*
- Polystichum cystostegia*
- P. vestitum*

**ORCHIDS**

- Adenochilus gracilis*
- Apotostylis bifolia*
- Chiloglottis cornuta*
- Corybas trilobus*
- Pterostylis irsoniana*
- Thelymitra hatchii*

**GRASSES**

- Agrostis dyeri* agg.
- A. muelleriana*
- Chionochoa australis*
- C. conspicua* ssp. *conspicua*
- C. crassiuscula* ssp. *torta*
- C. pallens* ssp. *pilosa*
- C. rubra* ssp. *occulta*
- C. sp.* (unnamed) (*C. flavescens*  
auct. South Island, non *C. flavescens* Zotov)
- Deschampsia tenella*
- Deyouxiia aucklandica*
- Festuca sp.* (unnamed)
- Hierochloa cuprea*
- H. novae-zealandiae*
- H. tedolens*
- Koeleria sp.* (*K. novozelandica*  
agg.) (lvs narrow)

Lachnagrostis sp. (unnamed; included  
in L. filiformis, as var. semiglabra,  
by Zotov 1965)

- Poa colensoi
- P. kitkii
- P. maia
- P. pusilla

- Rytidosperma gracile
- R. nigricans
- R. setifolium
- Trisetum youngii
- T. (unnamed) (plants slender; lf  
sheath glabrous, or nearly so)

**SEDGES**

- Carex acicularis
- C. buechananii
- C. cockayneanum
- C. gaudichaudiana
- C. sinclairii
- C. sp. (cf. C. coriacea)
- Carpha alpina s.s.
- Isolepis aucklandica
- I. habra
- Oreobolus impar
- O. pectinatus
- Schoenus pauciflorus s.s.

- Uncinia astonii
- U. clavata
- U. divaricata
- U. filiformis
- U. longifructus
- U. rupestris (incl. U. angustifolia)
- U. uncinata
- U. viridis

**RUSHES**

- Juncus novae-zelandiae
- J. pusillus
- Luzula colensoi
- L. migrata
- L. pumila
- L. tufa s.s.
- L. sp. (i) (unnamed; included in  
L. picta, as var. limosa, by Edgar 1966)
- L. sp. (ii) (unnamed; included in L.  
crinita, as var. petriana, by  
Edgar 1966)
- Matsippospermum gracile

**MONOCOT HERBS (OTHER THAN  
ORCHIDS, GRASSES, SEDGES, RUSHES)**

- Astelia fragrans
- A. linearis var. linearis
- A. nervosa s.s.

- A. pettiei
- A. skottsbergii
- Luzuriaga parviflora
- Phormium cookianum
- Potamogeton suboblongus

COMPOSITE HERBS

- Abrotanella linearis s.s.
- Anaphalis sp. (Helichthysum bellidioides s.s.)
- Brachyglottis sp. (unnamed; included in B. bellidioides, as var. crassa, by Nordenstam 1978)
- Brachyscome radicata
- Celmisia alpina s.s.
- C. armstrongii
- C. bellidioides
- C. incana (incl. C. discolor)
- C. laricifolia
- C. lateralis (incl. C. var. villosa)
- C. sinclairii (incl. Callanii & C. dotzietzii)
- C. petriei
- C. montoi var.
- C. sessiliflora
- C. verbascifolia ssp. membranacea
- C. sp. (unnamed) (plants strongly rhizomatous)
- Craspedia sp. (fls white)
- Gnaphalium limosum s.s.
- Helichthysum filicaule
- Lagenifera petiolata
- L. pumila
- L. strangulata
- Leptinella sp. (unnamed; included in L. squalida, as ssp. mediana, by Lloyd & Webb, 1987)

- Leucogenes grandiceps
- Microseris scapigera var.
- Raoulia grandiflora var. grandiflora
- R. tenuicaulis (incl. R. t. var. dimorpha and R. t. var. pusilla)
- Taraxacum magellanicum

- Dolichoglottis lyallii
- D. scorzonerooides
- D. lyallii X S. scorzonerooides

DICOT HERBS (OTHER THAN COMPOSITES)

- Acaena anserinifolia
- A. inermis
- A. profunde incisa
- Aciphylla colensoi var. colensoi
- A. similis
- Anemone tenuicaulis
- Anisotome aromatica
- A. haastii
- A. pilifera
- A. sp. (unnamed; included in A. imbricata, as var. prostrata, by Dawson 1961)
- Cardamine sp. (i) (C. debilis agg.) ("Long Style" of Pritchard 1957)
- C. sp. (ii) (C. debilis agg.) ("Scree Race" of Pritchard)
- C. sp. (iii) (C. debilis agg.) ("Tussock Race" of Pritchard)

Colobanthus sp.  
Donatia novae-zelandiae

Drosera arcturi

D. stenopetala

Epilobium brunnescens

E. cockayneanum

E. chlorifolium

E. glabellum s.s.

E. linnaeoides

E. pernitens

Euphrasia sp.(i)

E. sp. (ii)

Forstera tenella

F. sp. (unnamed; aff. F. sedifolia)

Galium perpusillum s.s.

Gentiana bellidifolia var.

G. sp.(i) (unnamed; included in G. bellidifolia, as var. australis, by Cheeseman 1925)

G. sp.(ii)

Getanium microphyllum

Geum uniflorum

G. sp. (i) (G. parviflorum agg.) (stock short; terminal leaflet about as long as broad; fls upto 13mm diam.)

G. sp. (ii) (G. parviflorum agg.) (stock creeping and blanching; terminal leaflet slightly longer than broad; fls c. 8mm diam.)

Gonocarpus aggregatus

Hydrocotyle microphylla

H. novae-zelandiae

Kelletia dieffenbachii

Mazus radicans

Mitrasacme novae-zelandiae

Mentha cunninghamii

Neopaxia sp. (include Montia calycina & Claytonia australasica var. biflora)

Montia fontana s.s.

Myosotis forsteri

M. sp. (unnamed; included in M.

M. pygmaea, as var. ducei, by Moore 1961)

Nerteta balfouriana

N. sp. (unnamed; aff. N. dichondrifolia) (hairs present on both surfaces of lf, straight, not hooked as in N. dichondrifolia)

Oreomyrrhis coleusoi s.s. (incl.

O. c. var. hispida and O. c. var. multifida)

O. sp. (unnamed; aff. O. ramosa)

Ourisia caespitosa ssp.

O. lactea ssp. lactea

O. macrocarpa ssp. calycina

O. simpsonii

Oxalis magellanica

Parahebe lyallii

Psychrophila sp.  
 Phyllachne colensoi var.  
 Plantago lanigera s.s.  
 P. raoulii  
 P. uniflora  
 Pratia angulata agg.  
 Ranunculus foliosus  
 R. insignis  
 R. membranifolius

Schizæilema allanii  
 S. haastii s.s.  
 S. nitens  
 S. sp.(i) (unnamed; included in S. haastii,  
 as ssp. cyanopetalum, by Domin 1908)  
 S. sp.(ii) (S. trifoliolatum or S. colensoi)  
 Stellaria decipiens (incl. S. parviflora)  
 Urtica incisa  
 Viola cunninghamii  
 V. filicaulis  
 Wahlenbergia albomarginata var.  
 albomarginata (incl. W. pygmaea  
 var. laxa and W. simpsonii)

No. of species: 276.

