

EAST HARBOUR REGIONAL PARK

BOTANY TRIP: Lowry Bay Scenic Reserve (44ha., DoC), Francis Bell Scenic Reserve (ca. 50ha., THCC), Main Ridge track, Ferry Road Track

PRELIMINARY LIST OF NATIVE PLANTS (Compiled 14 Nov. 95, J.C.H.)

P = planted

TREES & SHRUBS			
akeake	<i>Dodonaea viscosa</i>	mahoe = whiteywood	<i>Melicotus ramiflorus</i>
akiraho	<i>Olearia paniculata</i>	maire, swamp = maire tawake	
beech, black = tawhai rauiriki	<i>Nothofagus solandri</i> var. <i>solandri</i>	maire, white	<i>Nestigis lanceolatus</i>
beech, hard = tawhai rauviri	<i>Nothofagus truncata</i>	manuka	<i>Leptospermum scoparium</i>
broadleaf = kapuka (see also puka)	<i>Griselinia littoralis</i>	mapou = red matipo (see also toro)	<i>Myrsine australis</i>
boom = tarengahape	<i>Carmichaelia arborea</i>	matai (see also miro)	<i>Prumnopitys tascifolia</i>
cabbage tree = ti kouka	<i>Cordyline australis</i>	milik-tree, large-leaved	<i>Streblus banksii</i>
cabbage tree, forest = ti ngahere	<i>Cordyline banksii</i>	milik-tree, small-leaved = turepo	<i>Streblus heterophyllus</i>
coastal groundsel P (see also rongiora)	<i>Brachyglottis</i>	mingimingi, big	<i>Leucopogon fasciculatus</i>
<u>Coprosma:</u>	<i>brassii</i>	mingimingi, small	<i>Cyathodes juniperina</i>
<i>C. areolata</i>		miro (see also matai)	<i>Prumnopitys ferruginea</i>
<i>C. australis</i> = rauweka		ngaio	<i>Myoporum laetum</i>
<i>C. betulinissima</i> = stinkwood, hupiro		nikau	<i>Rhoplostylis sapida</i>
<i>C. microcarpa</i>		northern rata (see also pohutukawa)	<i>Metrosideros robusta</i>
<i>C. repens</i> = taukata		pate	<i>Schefflera digitata</i>
<i>C. robusta</i> } = karamu		pigeonwood = porokaiwhiri	<i>Hedycarya arborea</i>
<i>C. lucida</i> }		<u>Pittosporum:</u>	
<i>C. rhemoides</i>		<i>P. crassifolium</i> = karo P	
<i>C. scopophyllum filifolium</i> = inanga		<i>P. eugenioides</i> = tarata, lemonwood	
hangehange	<i>Geniostoma rupestre</i>	<i>P. tenuifolium</i> = kohuhu, black matipo	
heketera	<i>Olearia rani</i>	pohutukawa (see also northern rata)	<i>Metrosideros excelsa</i>
hinau	<i>Eleocharis dentatus</i>	<u>Pseudopanax:</u>	
kai koma ko	<i>Pennantia corymbosa</i>	<i>P. arboreus</i> = fivefinger, whauwhaupaku	
kahikatea	<i>Dacrydium darydioides</i>	<i>P. crassifolius</i> = lancewood, horoeka	
kemahi	<i>Weinmannia racemosa</i>	<i>P. laetus</i> = fivefinger P	
kenuka	<i>Kunzea ericoides</i>	puka (see also broadleaf)	<i>Griselinia lucida</i>
karakara	<i>Corynocarpus laevigatus</i>	pukatea	<i>Laurelia novae-zelandiae</i>
kawakawa	<i>Macropisum excelsum</i>	puriri P	<i>Vitex lucens</i>
kohekohu	<i>Dysoxylum spectabile</i>	puta putaweta	<i>Carpodetus serratus</i>
koromiko, common	<i>Hebe stricta</i> var. <i>atkinsonii</i>	rahotu P	<i>Lophomyrtus obcordata</i>
Rowhai P	<i>Sophora tetragyna</i>	rangiora (see also coastal groundsel)	<i>Brachyglottis repanda</i>
lacebark = houhere	<i>Hohemia populnea</i>	rewarewa	<i>Knightia excelsa</i>
lowland ribbonwood = manatu P	<i>Plagianthus regius</i>	snowberry	<i>Gawthieria antipoda</i>

titoki	<i>Alectryon excelsus</i>
toro (see also mapou)	<i>Myrsine salicina</i>
toro papa	<i>Alseuosmia pusilla (?)</i>
totara	<i>Podocarpus totara</i>
wineberry = makomako	<i>Aristotelia serrata</i>

ponga = silver fern *Cyathea dealbata*

CLIMBERS = LIANES

aka, climbing rata	<i>Metrosideros perforata</i>
autumn-flowering rata	<i>M. fulgens</i>
bush-layer = tataramoa	<i>Rubus australis</i> <i>R. cissoides</i>
<i>Clematis forsteri</i>	
kiekie	<i>Freyaneta laeviana</i>
NZ jasmine, kairiwhiria	<i>Parsonsia heterophylla (?)</i>
Supplejack, karao	<i>Ripogonum scandens</i>

FERN ALLY

club moss *Lycopodium volubile*

HERBS

kowharawhara	<i>Astelia solandri</i>
bush rice grass	<i>Microlaena avenacea</i>
Canese spp	
flaxes { harakeke wharariki	<i>Phormium tenax</i> <i>P. cookii</i>
<i>Gahnia setifolia</i> = catty grass, mapere	
<i>Halimolobos erecta</i>	
Hibiscus sp	
native iris = mikoikoi	<i>Libertia ixioides</i>
toetoe	<i>Cortaderia fulvida</i>
terutu = blue bany	<i>Dianella nigra</i>
Uncinia spp. = hookgrass	

FERNS

Asplenium:

<i>A. bulbiferum</i> = manamana	hen + chickens fern
<i>A. flaccidum</i> = makawe o Raukawa	hanging spleenwort
<i>A. oblongifolium</i> = huruhuruwhenua	shining spleenwort

Blechnum:

<i>B. discolor</i> = piupiu	crown fern
<i>B. filiforme</i> = panake	thread fern
<i>B. minus</i> = swamp kiokeo	
<i>B. procerum</i>	
<i>B. chambersii</i> = nini	
<i>B. "capense"</i> = kiokeo	

ORCHIDS

<i>Earina autumnalis</i>	
Hooded orchid	<i>Pterostichus bantasi</i>

BIRDS

bellbird = korimako	longtailed cuckoo = koekoe
blackbird	NZ pigeon (= karema)
chaffinch	redpoll
fantail (piwakawaka)	rifleman = titipo u namu
goldfinch	shining cuckoo = pi pi wharawhara
greenfinch	skylark
grey warbler (kororia)	sparrow
hARRIER (kahu)	starling
hedge sparrow	thrush
kingfisher = kotare	tui
morepork = ruru	waneye (tauhou)
	whitehead = popokatea

bracken = raruhē	<i>Pteridium esculentum</i>
<i>Hymenophyllum demissum</i>	filmy ferns
<i>H. dilatatum</i>	
houndstongue fern = kowakowaka	<i>Phymatosorus pustulatus</i>
kidney fern	<i>Nephrolepis reniforme</i>
leather-leaf fern = ota	<i>Pyrrosia eleagnifolia</i>
<i>Leptopteris hymenophylloides</i>	
mameku = black tree fern	<i>Cyathea medullaris</i>
pakekeroharaha	<i>Pneumatopteris pennigera</i>

TRANSPORT TO W'GTON

Esc Days Bay	bus 2.05	Bus \$4.60
	fermy 3.00	
	bus 3.05	
	bus 5.05 → fermy 4.15	Ferry \$7.00